WATER WELL RECOR	SD .	Form WWC-5		Division of Water Resources App. No.		
1 LOCATION OF WATER		SE SW SW NW	Section Number		Range Number	
County: Slagu		160 1802 18W 1		T OUS	R XE □W	
Street/Rural Address of We				ing System (GPS) in		
from nearest town or inters	ection: If at owner's ac	idress, check here			(in decimal degrees)	
2337 W Harbor light St			Longitude:		(in decimal degrees)	
Wichita, KS 67204			Datum: WG	 S 84, □ NAD 83, □] NAD 27	
12 WATER WELL OWNER: 'Asla Mass Co. /d			Callantina Mathe	<u>d</u> :		
RR#, Street Address, Box #: 7327 Whathor Lum 31			GPS unit (I	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
City, State, ZIP Code	Wichita.	KC 107204	Est Accuracy:	Photo, \square Topograph: $3 < 3 \text{ m}$, \square 3-5 m, \square	IC Map, [] Land Survey	
3 LOCATE WELL] J-13 III, [_] > 13 III	
WITH AN "X" IN 4 I	DEPTH OF COMPLE	TED WELL .3.7.		ft.		
SECTION BOX: Dej	pth(s) Groundwater End	countered (1)	ft. (2)	ft.	(3) ft.	
WELL'S STATIC WATER LEVEL 20ft. below land surface measured on mo/day/yr 5						
	ft. after	ft. after hours pumping gpm				
NW NE ES	п. апег	ft. after hours pumping gpm				
WELL WATER TO BE USED AS: Public water supply Geothermal					Injection well	
Domestic Deadlet Doil field water supply Developing Dether (Specify below)						
SW SE Domestic Feedlot On field water supply Dewatering Other (specify below) SW SE Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
I I	ter well disinfected?	-				
5 TYPE OF CASING USED: Steel NPVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter						
Casing height above land surface						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From 3.0						
Serence of the serenc	From	ft. to	ft., Fron	i ft.	to ft.	
GRAVEL PACK IN	TERVALS: From. 🎜	Co ft. to S./.	ft., Fron	ı ft.	to ft.	
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines						
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well						
Direction from well .						
FROM TO	LITHOLOGIC LOG	FROM	TO LITHO	LOG (cont.) or PLU	JGGING INTERVALS	
	su					
3 20 Clay	Parel.					
00 37 //03 0	I ISNEY .					
			11			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No. 242						
under the business name of language by (signature) by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 427, Topeka, Kansas 66612-1367.						
(white, blue, pink) to Kansas Depart	ment of Health and Enviror	ment. Bureau of Water. Geo	ology Section, 1000 SW	Jackson St., Suite 427,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .						
KSA 82a-1212						