1 LOCATIO				VATER WEL	L RECORD		-5 KSA 82a- Section Numbe						
1_LOCATION OF WATER WELL: County: Sedgwick													
County:	Sea	JWICK	NE town or city stree	⅓ Nt		SE ¼	17	T	26S	S	R	1	E
	ia airection troi Broadway –			et address c	o! well it locate	ea within city	,						
			per's Used (	Cars									
			5 N. Broadw					Board	d of Agricu	ılture. Divis	sion of W	ater Resc	ources
City State.	ZIP Code	Wic	hita, KS 672						cation Nur			4.0.	
LOCATE	WELL'S LOC	ATON WI	TH .										
3 AN "X" II	N SECTION B	OX:	DEPTH	OF COMPL	ETED WELL		25 ft. ELE	VATION:		1333	.38 (TC	OC)	
1			Depth(s) Gr	oundwater E	Encountered	1	13.02	ft. 2		ft.	3		ft.
	NW	NE	WELL'S ST	ATIC WATE	RLEVEL	15.10	ft. below TOC	measured	d on mo/da	ıy/yr		10/07/1	1
	i			Pump test d	ata: Well w	ater was		ft. after		hours p	umping		gpm
∳ W <b> </b> —		- <del> </del> x	E Est Yield	9	pm: Well w	ater was		ft. after		hours p	umping		gpm
			Bore Hole D	Diameter	<b>8</b> in t	to	25	ft. and		in.	. to		ft.
	sw	SE	WELL WAT	EK TO BE (	USED AS. S	5 Public wati	er supply	o Ali	condition	ing H	injectio	n well	
					eed lot 6	6 Oil field wa	ter supply	9 De	ewatering	12	Other	(Specify b	elow)
` <u>-</u>	S		2 Irriga	ation 4 Ir	ndustria!	7 Lawn and	garden (domes	ic) 10 N	Monitoring	well	Air	Sparge	<b>;</b>
	Ü		Was a chen	nical/bacteri	ological samp	ole submitted	to Department						was
			submitted					ater Well [					
5 TYPE OF	F BLANK CAS	ING USE	D:	5 V	Vrought Iron	8 Cc	ncrete tile	CAS	ING JOIN	TS: Glued		Clamped	1
1 Ste	eel	3 RM	1P(SR)	6 A	Asbestos-Cem	nent 9 Ot	her (specify bel	ow)		Welde	ed		
2 PV	C	4 AB	S	7 F	iberglass					Thread	led	Flush	<u> </u>
Blank casin	g diameter	_ 2	in. to	23	ft., Dia		in. to						ft.
	ht above land				ight	0.703	lbs./ft	Wall thic	kness or a	auge No	9	CH. 40	
			TION MATERIAL			· · · · · · · · · · · · · · · · · · ·	7 PVC		10 Asbes	stos-cemer	nt		
1 Ste			ainless steel		iberglass		8 RMP (SR)		11 Other	(specify)			
2 Bra			Ivanized steel		Concrete tile		9 ABS		12 None	used (ope	n hole)		
SCREEN O	R PERFORAT	ION OPE	NINGS ARE:		5 Ga	auzed wrapp	ed	8 Saw	v cut		11 Non	e (open h	ole) .
1 Cor	ntinuous slot		3 Mill slot		6 W	ire wrapped		9 Drill	led holes				
2 Lou	uvered shutter		4 Key punched	d	7 To	orch cut		10 Oth	er (specif	y)			
SCREEN-P	ERFORATED	INTERVA	LS: From	23	ft. to	25	ft.	From		ft. to	)		ft.
			From				ft.						
GR	AVEL PACK I	NTERVAL			ft. to		ft.						
			_					_					
6 GROUT	MATERIAL	1 Ne	eat cement				Bentonite						
			ft. to					ft	From		ft to		ft
			ole contamination					stock pens					
			4 Lateral li		7 Pit pi	rivy		storage					
	wer lines		5 Cess po			age lagoon		lizer stora				fy below)	
	atertight sewer	lines	6 Seepage		9 Feed			cticide sto			O. (OF 00.	,, 55,511,	
Direction fro				'		,	How man						
FROM	TO	CODE	LIT	HOLOGIC	LOG	FRC			PLU	GGING IN	TERVAL	S	
0	0.5		Gravel										
0.5	7		Fill, Clay, br										
_	47		Sand, fine to	_	rained, light	t							
7	17		brown, with lar		14 Cand	dad							
17	19		Interbedded brown, silty	i Ciay ar	iu Sano, d	ark							
	13		Sand, coarse	grained a	dark brown								
19	25		silty	grameu, (	aark biowii,								
								GPS (from SE corner of Section 17):					
								Northi	ng: 22	54.90			
								Eastin					
									9. 10.0	1			
7 CONTRA	ACTOR'S OR	LANDOW	NER'S CERTIFIC	CATION: T	his water well	was (1) cons	structed, (2) rec				r my juris	diction and	d was
	ACTOR'S OR			CATION: TI	his water well			onstructed	, or (3) plu	gged unde			
completed of	on (mo/day/yr)			0/05/11		an	d this record is	onstructed	or (3) plu	gged unde y knowledg	ge and b	elief. Kan	sas
ompleted o	on (mo/day/yr)	cense No		0/05/11 531		an Th		onstructed true to the	or (3) plu	gged unde y knowledg	ge and b	elief. Kan	sas