LOCATION OF WATER WELL: Sedgwick Distance and direction from nearest town	Fraction NE 1/4		***************************************	Sec	tion Numbe	-1212 ID No		Range Number
Distance and direction from nearest town	NF 1/			000	HOIT MUITIBE	i TOWNSHIP NO	illinei L	ange number
		NE 1/4		1/4	17	T 26S	S R	1 E
5725 N. Broadway - Wichita	n or city street addr	ess of well if I	ocated with	nin city?				
2 WATER WELL OWNER: Harper'	's Used Cars							
RR#, St. Address, Box # : 5725 N.						Board of Agrice	ulture. Division of	Water Resources
	-					Application Nu		
City, State, ZIP Code : Wichita 3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	4 DEBTH OF CO	MOLETEDIA	/E11	20) # EII	EVATION:	1333 22 /	TOC)
	Denth(s) Groundwa	ater Encounte	ered 1	13	.0	ft. 2	ft 3	ft
	WELL'S STATIC V	VATER LEVE	L 14	.88 ft.	below TOC	measured on mo/da	ay/yr	10/07/11
						ft. after		
₩ K	Est. Yield	gpm: W	ell water w	as		ft. after	hours pumpin	g gpm
^	Bore Hole Diamete	er 8	in. to	20)	ft. and 8 Air condition	in. to	ft.
	WELL WATER TO	BE OSED AS	5: 5 Pub	lic water s	upply	8 Air condition 9 Dewatering	ing 11 Injec	ction well er (Specify helow)
	2 Irrigation	4 Industrial	7 Law	n and gard	suppiy den (domes	stic) 10 Monitoring	well Soil V	apor Extraction
S	Was a chemical/ba					? Yes No X		
	submitted				V	Vater Well Disinfected	d? Yes	No X
5 TYPE OF BLANK CASING USED:		5 Wrought I	Iron	8 Concr	ete tile	CASING JOIN	TS: Glued	Clamped
1 Steel 3 RMP (S	SR)	6 Asbestos	-Cement	9 Other	(specify be	low)	Welded	
2 PVC 4 ABS	_	7 Fiberglas						
Blank casing diameter 4 Casing height above land surface	in. to 5	ft., Dia		in. 1	to	ft., Dia	in. to	ft.
		., weight		703 17	lbs./f	t. Wall thickness or g	gauge No.	SCH. 40
TYPE OF SCREEN OR PERFORATION 1 Steel 3 Stainles		5 Eiheralas	e			10 Asbe 11 Othe		
2 Brass 4 Galvani		6 Concrete			ABS		used (open hole	
SCREEN OR PERFORATION OPENING	ATTERNATION OF THE PERSON OF T	5	Gauzed	wrapped		8 Saw cut	11 N	one (open hole)
Burnary company of the Company of th	Mill slot		Wire wra			9 Drilled holes		
	Key punched		Torch co			10 Other (speci	ty)	
SCREEN-PERFORATED INTERVALS:						From		
GRAVEL PACK INTERVALS:	From	4 ft	to	20	fi	From From	ft to	ft ft
	From	ft. :				From	ft. to	ft.
6 GROUT MATERIAL: 1 Neat ce	ement 2 (3 Ber	ntonite			
	ft. to			ft.	**************************************	<i>a</i>	ft,	
What is the nearest source of possible co						estock pens	14 Abandone	ed water well
	4 Lateral lines		Pit privy			el storage	15 Oil well/ C	
	5 Cess pool		Sewage la	goon		tilizer storage	16 Other (sp	ecify below)
3 Watertight sewer lines Direction from well?	6 Seepage pit	9	Feedyard		How mar	ecticide storage		
FROM TO CODE	LITHOLO	GIC LOG		FROM	TO		JGGING INTERV	'ALS
0 7 Fill	, Clay, brown,	silty		***************************************			**************************************	
	nd, medium gra		rown					
11 20 Cla	y, dark brown, s	silty						*****

						GPS Ifrom SE	corner of Co	ction 17):
						GPS (from SE corner of Section Northing: 2279.40		ction 17).
						Easting: 72.		
7 CONTRACTOR'S OR LANDOWNER			P.	CONTRACTOR CANDOM CANDO	NORTH AND THE PROPERTY OF THE			

er the business name of Geotechnical Services Inc. by (signature) William (Signature) by (signature) William (Signature) Willi

Geotechnical Services Inc.

under the business name of

SEC