WATER WELL RECORD	Form WWC-5	Division of Water	Resources App. N	0.		
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number		
County: Slagwick			T Hys	R E W		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						
3040 N Cromwell		Longitude: (in decimal degrees)				
Wichita KS 47204		Elevation: (in decimal degrees)				
2 WATER WELL OWNER: Danger of Light 1960		<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: David Hansen RR#, Street Address, Box #: City, State, ZIP Code : Wichta 12847204		Collection Method:  GPS unit (Make/Model:)				
City, State, ZIP Code : 3040 N Commell by		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
With ta 12867264 Est. Accuracy: [ <3 m, [ ] 3-5 m, [ ] 5-15 m, [ ] >15 m						
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 50	) ft				
SECTION BOX: Depth(s) Groundwater Encountered (1)						
Pump test data: Well water wasft. after hours pumping gpm						
EST. YIELD Sogpm. Well water was						
W Bore Hole Diameter						
Demostic Descript Doil field water graphy Devictoring Downtoning Downtoning						
SWSE Domestic Feediot On field water supply Dewatering Other (specify below)  Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
water weir disinfected: 12, 16s 140						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter in. to fi., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight in., Weight in., Wall thickness or gauge No. 1400.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel Other (Specify)						
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
SCREEN-PERFORATED INTERVALS: From						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From 3						
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)						
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines Separate bit. Feedvard Fertilizer storage Oil well/gas well						
Direction from well . Mordines						
FROM TO LITHOLO	OGIC LOG FROM	TO LITHO. LO	JG (cont.) or PLC	JGGING INTERVALS		
0 3 Top Sort 3 20 class						
3 20 20						
20 40 Med Soud.						
40 50 Coorne Sprid	•					
				107701100000		
				2.47007410040		
				A CONTRACTOR OF THE CONTRACTOR		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, □ reconstructed, or □ plugged						
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No						
INSTRUCTIONS: Use typewriter or ball point per PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> .						
KSA 82a-1212						