WATER WELL REC	CORD	Form W	WC-5	Division of Wa	ter Resources App. No	o.	
1 LOCATION F W	TER WELL: Fra	action 5	FUNW	Section Number	Townshin No.	Range Number R X E □W	
Street/Rural Address	of Well Location; if un	known, distance	& direction		ng System (GPS) in	formation:	
from nearest town or i	Latitude: (in decimal degrees)						
2109 Harbor lite ct				Longitude: (in decimal degrees)			
210 9	garbor L			Elevation:	····· <u>··</u> ····· <u>··</u>		
2 WATER WELL OWNER: My Paure 13 4				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR# Street Address							
2 WATER WELL OWNER: RR#, Street Address, Box #: City, State, ZIP Code Well 6 K 6 7204				☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, 231 Code	well	Ka 6	7204		<3 m, ☐ 3-5 m, ☐		
3 LOCATE WELL	1		-		J III, [] J J III, []	5 15 III, 15 III	
WITH AN "X" IN	4 DEPTH OF COM	APLETED WEI		36 f	t.		
SECTION BOX:	Depth(s) Groundwat	er Encountered	(1)/6.	ft. (2)	ft. (3) ft.	
N	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr.5.7.18.7.1						
	Pump test	data: Well wat	er was	ft. after	hours pump	oing gpm	
NW NE	EST. YIELD	.gpm. Well water	er was	ft. after	hours pum	ping gpm	
W + E	Bore Hole Diameter	in. to	. 16	ft., andii	1. to	ft.	
	WELL WATER TO	BE USED AS: [Public was	ter supply 🔲 G	eothermal 🔲 I	njection well	
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
Industrial Momentary Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
mile	Water well disinfected	ed? ∐Yes 💢	No				
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
CASING JOINTS: Solution Clamped Welded Threaded Casing diameter in. to							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From							
From ft to ft From ft to ft							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well							
Direction from well		00			00(CODIO DIFFERENCE	
FROM TO	LITHOLOGIC L	9	FROM	TO LITHO. I	OG (cont.) or PLU	GGING INTERVALS	
6 18 1	pp wor	<u> </u>	9				
	mo for	, gang	7				
18 36 Cm	rea ton	Dans	1				
			 				
			 				
			-				
			1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was XI constructed, \(\sqrt{\text{reconstructed}}, \text{or} \sqrt{\text{plugged}}							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\) constructed, \(\) reconstructed, or \(\) plugged under my jurisdiction and was completed on \(\) (mo/day/year)							
under the business name of							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Sen							
	http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212						