	WATER WELL	RECORD	Form WW	/C-5 K	(SA 82a-1	212			
1 LOCATION OF WATER WELL:							P NUMBER RANGE NUMBER		
Sedgwick	NW 1/4 N		1/4	31	T	26 s	R	1E	E/W
Distance and direction from nearest town or city st 1/8 th mile West of Seneca, S			ta, Kansas						
	HITA, CITY OF		ta, ixansas						
I	. Main					Board of Agri	iculture, Divisio	n of Wate	er Resource
CITY, STATE: Wichi	ta, Kansas		ZI	P CODE:		Application Nur	nber: 20	00100	257
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	EPTH OF CHANGE	WELL:	40 ft.		ELEVATION	N:			
N Dept	h of groundwater Enco	ountered:	ft.			ft.			ft.
X WEI	LL'S STATIC WATER			W LAND S		ASURED ON mo/o	day/yr: 1	2/12/	11
NWNE	Pump tes		ater was		ft. after		of pumping	_	gpm
W Bo	Est. Yield: g re Hole Diameter	$_{ m pm}$ Well w $_{ m ln}$	ater was to 5	6 0 ft	ft. after and	hours in.	of pumping	@ to	gpm ft.
	LL WATER WAS US	,,,,	10 2	, ,	. and	9. Dewateri			on well
1 1 1 d 1 1	Domestic 3. Feed		ater supply	7. Lawn	and garden o	only		•	cify below)
	Irrigation 4. Indus		water supply		nditioning	10. Monitorii	ng well what mo/day	der war	o cample
,	as a chemical/bacteriologic mitted	cal sample submitted to	Department?	YES Was \	Water Well Dis	•	YES	yr was	
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglas	e 9. Ot	ther (Specif	v below) C	CASING JOINTS:	Glued	т	hreaded
1. Steel 3. RPM (SR)		•		(,,		Welded	C	Clamped
2. PVC 4. ABS	6. Asbestos-Cem								
	n. to	ft., Dia.	in.	to	ft.,		in. to		ft.
Casing height helpfund surface:	12 in.,	Weight:	5.52 It	os. / ft.	Wal	I thickness or gaug	ge No.	332	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify) N/A									
2. Brass 4. Galvanized	6. Concrete Tile	8. RMP (SR)	10. A	sbestos-Ce	ment 12.	None used (open	hole)		
SCREEN OR PERFORATION OPENING	S ARE:								
1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole)								en hole)	
2. Louvered shutter 4. Key pur	nched 6. Wire v	wrapped	8. Sa	w cut	10. C	Other (specify) N	/A		
SCREEN - PERFORATION INTERVAL	From	ft.	to	ft.,	From	ft.	4.0		4
	From		to	ft.,	From	ft.	to to		ft. ft.
GRAVEL PACK INTERVALS:	From	ft.	to	ft.,	From	ft.	to		ft.
	From	ft.	to	ft.,	From	ft.	to		ft.
6 GROUT MATERIALS: 1. Neat co	ement 2	Cement Grout		B. Bentonite					
On Alabamata State								•	
What is the nearest source of possible con	7 Di4 -	orivy	10. Livestoc	k pens		ecticide storage	15 Oil w	/ell/Gas	s well
1. Septic tank 4. Lateral lines				40.045					
2. Sewer lines 5. Cess Pool 5.							,,		
3. Watertight sewer line 6. Seepag Direction from well?	a pit 5. Feet	u yaru	12. Ferunzer	storage	How	many feet?			
	ITHOLOGIC LC)G	From	То	1	LITHOLO	GIC LOC	3	
				3	compacted topsoil				
			3	23		hole plug			
			23	40	chlorinate	ed gravel			
			_						
				_					
7 Contractor's or Landowner's Certifica	ation: This water well v	vas 1. constructe	ed 2, re	constructe	d or 3. C	plugged	under my juri	sdiction	and
was completed on (mo/day/year)	12/12/2011	and this recor	d is true to the	best of my	knowledge ar	nd belief.			
Kansas Water Well Contractor's License	∍ No. 236	This water	well record wa	s completed	d on (mo/day/)	year) 12/1	6/2011		
under the business name of Harp Well and Pump Service by (signature) Todd S. Harp									
L. Hatp v	· · · · · · · · · · · · · · · · · · ·		-, (**)	/		i ouw s	$. \pi \omega$	rp	