		WATE					orm			KSA 82a-					
1 LOCATION OF WATER WEI	LL:	FRACTION	//		VNE		4.4	SECT	TION NUMBE		NSHIP N			NGE NUN	
Sedgwick		₩	1/4	34 7	1/4	MAN	1/4	L	20	Т	26	S	R	1 ≬ E	E/W
Distance and direction from near	rest town or cit	-			•										
4954 N. Jeanette	TAC	CKSON, C	hita, K	Lansas	·										
2 WATER WELL OWNE		4 N. Jeans										Board of A	griculture, Divisi	on of Wa	ter Resourc
RR#,ST. ADDRESS,BOX CITY, STAT		thita, Kan										\\			
				~ -1		19	<u> </u>		P CODE:	=, =, , , =, ,		oplication N	umber:		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION	BOX: 4	DEPTH OF	- AMAGE	Jan W	ELL:	13	9	ft.		ELEVATIO)N:	grade			
N N		epth of groun						ft,				ft.			ft.
	W	VELL'S STAT	IC WATE	ER LEVE	EL 1	13	FT. E	BELO	W LAND S	URFACE ME	ASURE	D ON mo	/day/yr:	5/4/1	2
NE			Pump	test dat	ta: V	Vell wat	er was	i		ft. after	r	hou	rs of pumping	@	gp
w w		Est. Yield:		gpm		Vell wa	ter was	3		ft. afte	r	hou	rs of pumping	@	gp
		Bore Hole Dia			in.			to	f	t, and		in.		to	ft
swse		VELL WATER		USED A eedlot	\S: = B	aliaa	4		7 Lawn	and garden	only ?	9. Dewate	9	-	ion well
	- 1 1	1. Domestic										Monito		er (Spe	cify belov
S		IrrigationWas a chemica		dustrial		field w				nditioning		0. Monito if ves:	, what mo/da	v/vr wa	s sample
5		ubmitted	ii/bacterioi	logical san	ripie subm	illed to L	Departm	entr	Y ES Was	Water Well D		•	YES	NC	-
TYPE OF CASING U	JSED:				·			9.04	ther (Specif			JOINTS:		т	hreaded
1. Steel	3. RPM (S	SR) 5. Wr	rought Iro	on	7. Fibe	ergiass		3. U	ina (opedi	, Delow)	JAJ1140	. JOHN 13.	Welded		Clamped
2. PVC	4. ABS	6. As	bestos-C	Cement	8. Con	crete ti	le						Wolded	`	Jampeu
Blank casing diameter	1 1/4	in. t	to	ft.,	D	ia.		in.	to	ft.,	Dia		in. t	0	ft.
Casing height Colored	surface:	24	in.,		Weig	ht·		11-	os. / ft.	\A/s	all thicks	ess or ga	uae No		
TYPE OF SCREEN OR PE			•		Worg	· · · ·		11.	J3. / II.	***	an unicki	iess or gar	uge No.		
	nless Steel	5. Fiber			7. PVC			9. Al	BS	11	. Other	(specify)	N/A		
2. Brass 4. Galv	anized	6. Conc	rete Tile		8. RMP	(SR)		10. A	sbestos-Ce			used (ope			
SCREEN OR PERFORATION						()						(-	,		
1. Continuous slot	ON OPENIN 3. Mill s		5 Ga	d	rannad			7 Ta.	-ab4	0.1	Drilled I	halaa	44 No	no I on	on hole)
				uzed wr	• •				rch cut					ne (ope	en hole)
2. Louvered shutter	4. Key p	punched	6. Wii	re wrapj	ped			8. Sa v	w cut	10.	Other (s	specify) I	N/A		
SCREEN - PERFORATION	INTERVAL	From			ft.	to			ft.,	From		ft.	t	0	ft.
	From			ft.	to			ft.,	From		ft.	t	0	ft.	
GRAVEL PACK IN	From			ft.	to			ft.,	From		ft.		0	ft.	
	From				16.,										
L CROUT MATERIALS		FIOIII			п.	to			ft.,	From		ft.		0	ft.
GROUT MATERIALS:	1. Neat	cement		2. Cem	ent Grou	t		3	. Bentonite	9	Oth	^{ler} ben	tonite hol		•
Grout Intervals: Fro		ft.	to	f	ft., F	rom		ft.	to	ft.,	, 1	From 2	2 ft.	to 19	9 ft
Vhat is the nearest source of 1. Septic tank	of possible of 4. Latera			it privy		1	0. Live	stoci	k pens	13. ins	ecticide	storage	15. Oil v	well/Gas	s well
•	A A				11. Fuel storage			13. Insecticide storage 15. Oil well/Gas we 14. Abandon water well 16. Other (specify							
2. Sewer lines	5. Cess			-	_				_	14. Ab	andon \	water wel		- (Spoo	, 20.04
3. Watertight sewer line	> 6. Seepa outheast		9. F	eed yard	d	1	2. Feri	ilizer	storage			40	C4		
From To	oumeast		2010	100			I = -		-	Hov		feet? 40			
TIOIII TO		LITHOLO	JGIC I	LUG			Fro		<u>To</u>				OGIC LO	<u> </u>	
							0		2	natural e					
						-	2		19	bentonite	hole	plug			
							_			<u> </u>					
							 								
								\neg							
							L								
Contractor's or Landov	wner's Certif	ication: This	water we	ll was 1.	. const	ructed	2.	rec	onstructe	d or 3.0	plug	ged	under my jur	isdiction	and
was completed on (mo/da		5/4/20					s true t	o the	best of my	knowledge a	nd helie	1.			
				·									(0.04.5		
Kansas Water Well Contra	actor's Licen	nse No. 236			This wa	ater we	II recor	d was	s completed	d on (mo/day/	уеаг)	5/8	/2012		

under the business name of Harp Well and Pump Service

by (signature)

Todd S. Harp