WATER WELL RECORD	Form WW	C-5 Div	rision of Water	Resources App. No.		
1 LOCATION OF WATER WELL County: Sea Cym Ch	L: Fraction	Section		Township No.	Range Number R <b>X</b> E W	
Street/Rural Address(of Well Loca			Positioning	System (GPS) info		
from nearest town or intersection:	If at owner's address, check he				(in decimal degrees)	
from nearest town or intersection: If at owner's address, check here		Longit	Longitude: (in decimal degrees)			
WichitaRakkea	2-bra 155/107 21	Elevat		**************************************		
2 WATER WELL OWNER:	1000101	Datum		-, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: TOWN WAVE.  RR#, Street Address, Box # 2420 N Ventoso Rd.  City State ZIP Code			Collection Method:  GPS unit (Make/Model:)			
City, State, ZIP Code			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Wi	chita KS 673	Est. Ac	ccuracy: $\square$ <	3 m, 🔲 3-5 m, 🔲 5	5-15 m, $\square$ >15 m	
3 LOCATE WELL	OF COMPLETED WELL .	80-	ft			
WITH AN "X" IN 4 DEPTH SECTION BOX: Depth(s) C	Froundwater Encountered (1	) ft.	(2)	ft. (3	) ft.	
N WELL'S STATIC WATER LEVEL 3.3ft. below land surface measured on mo/day/yr						
Pump test data: Well water wastt. after hours pumping gpm						
EST. YIELD 30. gpm. Well water was						
W Bore Hole Diameter						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
SW   SE     Irrigation   Industrial   Domestic-lawn & garden   Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
	l disinfected? X Yes 🔲 No					
5 TYPE OF CASING USED: Steel N PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter in. to						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Will slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From. 3.0						
From						
From. ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 33 ft. to ft.						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From						
Grout Intervals: From						
		Livestock pens	Insecticide		er (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
☐ Watertight sewer lines ☐ Se Direction from well Scutt.	epage pit [ ] Feedyard [ ]	Fertilizer storage Distance from we				
FROM TO LITH	OLOGIC LOG	FROM TO			GGING INTERVALS	
0 3 Top Sail	0.0000000000000000000000000000000000000					
3 21 chay.						
21 23 Jane SANG						
33 80 Blue Sha	le.					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, r						
under my jurisdiction and was completed on (mg/day/year)						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)						
INSTRUCTIONS: Use typewriter or hall point pen. PLEASE PRESS FIRMLY and HAINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white blue pink) to Kansas Department of	f Health and Environment, Bureau of	Water, Geology Section	on, 1000 SW Ja	ickson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy http://www.kdheks.gov/waterwell/index.html		am one for your recor	rus. Include <u>fe</u>	e of \$3.00 for each c	onstructed wen, visit us at	
KSA 82a-1212						