- IL 66	NOE 14/12	3 14 <i>E</i>		ER WELL RECORD	Form \		KSA 82			Dance 1	
	ON OF WATE			ew	SW		on Numb 27		hip Number 26 S	Range N	lumber E
County:	d direction from	n nearest to	NE 1/4 wn or city street ad	SW 1/4 Idress of well if loo			<u> </u>	Т Т	26 S	R	<u> </u>
3850 N. H	lydraulic –	Wichita	Wil Or City Street ad	idless of well it loc	atod With	ii oity .					
2 WATER	WELL OWNE	R: USD 2	59 School Se	ervice Center	r						
			N. Hydraulic					Board of	Agriculture, Div	rision of Water	Resources
City State 7	ZIP Code	: Wichi	ta. KS 67219					Applicat	ion Number:		
LOCATE	WELL'S LOC	ATON WITH				15.5	4 5	EVATION.			
AN "X" IN	N SECTION BO	OX:		COMPLETED WE	LL .a. a	10.0	π. EL	EVATION:			
T I			Depth(s) Ground	iwater Encountere	ים ו וויים		alaw TO	_II. Z	mo/dov/sm	03/0	ft. 9
	NW	NE		WATER LEVEL							
₩ w			Pum	p test data: Wel	water wa			_ π. aπer	nours	pumping	gpm g
¥ "		-	Est. Yield	gpm:vvei	water wa	.s 16		_ π. aπer	nours	pumping	gpm [
1 L.	sw	SE	Bore Hole Diame	eter 8 in	n. to	c water cu	ooly	π. and	onditioning	n. to	ft.
	x;w	; J		c 3 Feed lot							
♦	i			4 Industrial							
	S			/bacteriological sa							
			submitted						infected? Yes		X
5 TYPE OF	F BLANK CAS	ING USED:		5 Wrought Iro	n i	8 Concret		•	3 JOINTS: Glu		mped
			(SR)	•					Wel	ded	
2 PV		4 ABS	•	7 Fiberglass					Three	ided F	lush
				•				# Dia			
Biank casing	g diameter	-	in. to 10.	in woight	0.7		ibe i	ft Mail thickn	nee or gauge No	SCI	1 40
			ON MATERIAL:	_m., weight		7 7	DVC	10. VVali Unckin	Asbestos-cem	ent	·······
1 Ste			less steel	5 Fiberalass							
2 Bra		4 Galva	anized steel	6 Concrete til	e	9 /	ABS	., 12	None used (or	oen hole)	
	R PERFORAT	TON OPENI	NGS ARE:	5	Gauzed v	wrapped		8 Saw c	ut	11 None (o	pen hole)
1 Coi	ntinuous slot	3	Mill slot	6	Wire wra	pped		9 Drilled	holes		ļ
2 Lou	uvered shutter		Key punched		Torch cu	t		10 Other	(specify)		
SCREEN-P	ERFORATED	INTERVALS	: From	10.5 ft. to		15.5	fi	t. From	ft.	to	ft.
			From	ft. to			fi	t. From	ft.	to	ft.
GR.	AVEL PACK II	NTERVALS:	From	8 ft. to		16	fi	t. From	ft.	to	ft.
				ft. to	ı		fi	t. From	ft.	to	ft.
6 GROUT	MATERIAL:	1 Neat	cement 2			3 Bent	onite	4 Other			
			ft. to 8			ft. to		ft. F	rom	ft. to	ft.
			contamination:					vestock pens	14 A	bandoned water	er well
		•	4 Lateral lines	7 P	it privy		11 Fu	iel storage	15 O	il well/ Gas we	41
	wer lines		5 Cess pool		ewage lag		12 Fe	ertilizer storage		ther (specify b	
3 Wa	atertight sewer	lines	6 Seepage pit	9 F	eedyard		13 ln:	secticide storaç	је ,		
Direction fro	om well?							any feet?			
FROM	TO	CODE		LOGIC LOG		FROM	то		PLUGGING	INTERVALS	
0	0.5		oncrete ill, Silty Clay,	trope fine cond	and	·	 				
0.5	16		avel, some sand		allu						
0.0		3.	avoi, como came	., 0.0, 0.0	1		<u> </u>				
							 				
							 	GPS: U	-14		
							 		g: 4179957.	RE .	
	 	 -					-		<u>3: 4179957.</u> : 648454.43		
ļ		-					 	Lasting	· • • • • • • • • • • • • • • • • • • •	*****	
7 CONTE	ACTOR'S OP	LANDOWN	ER'S CERTIFICAT	TION: This water v	vell was V	1) construc	ted (2) r	econstructed o	r (3) pluaaed un	der mv iurisdict	ion and was
\vdash				07/12					est of my knowle		i i
	on (mo/day/yr)			531					est of my knowle completed on (m		
	Contractor's L		Gootookai	cal Services	Inc				ompiered on (m	uruay/yr)	
INSTR	DUSINESS NAME	ase fill in bla	nks and circle the co	rrect answers. Sen	d three con	ies to Kans	(signatu	ment of Health a	nd Environment	Bureau of Water	r. 1000 S W
Jackso	on St., Ste. 420,	Topeka, Kan	sas 66612-1367. Te	elephone: 913-296-	5545. Sen	d one to WA	TER WE	LL OWNER and	retain one for you	ır records.	.,