	WATER WELL RECORD Form	1 WWC-5 KSA 82a-1	212 ID No	
LOCATION OF WATER WELL:		Section Number		Range Number
ounty: Sedgwick		1/4 27	T <b>26</b> s	R 1 E
istance and direction from nearest t	own or city street address of well if located with	hin city?		
850 N. Hydraulic - Wichita	250 Cohool Coming Contar	<u> </u>	·	
	259 School Service Center			,,,, ,
R#, St. Address, Box # : 3850	N. Hydraulic		•	rision of Water Resources
ity, State, ZIP Code : Wich	ita, KS 6/219		Application Number:	
LOCATE WELL'S LOCATON WIT AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	33 ft. FLF\	/ATION:	
JAN X IN GEOTICIT BOX:	Depth(s) Groundwater Encountered 1	#	2 ft	3 #
	WELL'S STATIC WATER LEVEL 20	40 # bolow TOC	managed on maldayler	3 ft. 05/21/12
NW NE				
	Pump test data: Well water w			
W	Est. Yield gpm: Well water w	vas	t. arternours	
	Bore Hole Diameter <b>8</b> in. to WELL WATER TO BE USED AS: 5 Pub 1 Domestic 3 Feed lot 6 Oil	JJ	ft. and ii	n. to ft.
sw se	1 Domestic 3 Feed lot 6 Oil	nic water supply field water supply	9 Dewatering 1	2 Other (Specify below)
, x	2 Irrigation 4 Industrial 7 Law			
S				
	Was a chemical/bacteriological sample sul			
	submitted		ter Well Disinfected? Yes	
TYPE OF BLANK CASING USED	: 5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glue	edClamped
1 Steel 3 RM	P (SR) 6 Asbestos-Cement	9 Other (specify belo		
2 PVC 4 ABS	7 Fiberglass		Threa	nded <b>Flush</b>
	in. to <b>23</b> ft., Dia			
Period being diameter	0 in., weight 0.	703 lbe #t	Wall thickness or gauge No	SCH. 40
		- DVO	40 4-4	
YPE OF SCREEN OR PERFORAT		9 DMD (CD)	11 Other (specify) 12 None used (op	GIII.
	inless steel 5 Fiberglass vanized steel 6 Concrete tile	0 NWF (3N)	12 None used (or	on hole)
2 Brass 4 Gal CREEN OR PERFORATION OPEN		d wranned	8 Saw cut	11 None (open hole)
	3 Mill slot 6 Wire wr	• •	9 Drilled holes	TT Tronc (open noic)
	- <b>7</b> F ·	աւ <b>22</b>	10 Other (specify)	
SCREEN-PERFORATED INTERVAL	.S: From <b>23</b> ft. to	π. 1	From ft.	τοπ.
	From ft. to	tt. 1	-rom ft. -	τοft.
GRAVEL PACK INTERVALS			From ft.	toft.
	From ft. to		· · · · · · · · · · · · · · · · · · ·	to ft.
GROUT MATERIAL: 1 Ne	at cement 2 Cement grout	3 Bentonite	4 Other	
arout Intervals From 1.5	ft. to 21 ft. From	ft. to	ft. From	ft. to ft.
What is the nearest source of possib		10 Lives		pandoned water well
1 Septic tank	4 Lateral lines 7 Pit privy	11 Fuel	storage 15 O	il well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage la			ther (specify below)
3 Watertight sewer lines	6 Seepage pit 9 Feedyard	•	cticide storage	· · · ·
Direction from well?		How many	feet?	
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING I	NTERVALS
	l Topsoil			
	Silty Clay, little fine sand below 21'			
	Sand, fine grained			
	Sand, fine to coarse grained, trace fine			
24.5 33 t	o coarse gravel below 30'			
		<del>                                     </del>		
		<del>                                     </del>		
		<u> </u>	GPS: UTM	
		<del>                                     </del>	Northing: 4179831	
			Easting: 648251	
		<del>                                     </del>	Lasung. 040231	
T CONTRACTORIS ON TAXABLE	NEDIO CEDTIFICATIONI. This	(1) constructor (0)	posts stad as (0) where died	dos mu indiadiation and wee
/_CONTRACTOR'S OR LANDOW!	NER'S CERTIFICATION: This water well was			
completed on (mo/day/yr)	05/21/12		true to the best of my knowle	•
Vater Well Contractor's License No.	531	This Water Well R	ecord was completed on (mo	o/day/yr) 07/13/12
nder the business name of	Geotechnical Services Inc.	by (signature)	11/1/	
INSTRUCTIONS: Please fill in bla	anks and circle the correct answers. Send three co	opies to Kansas Departme	nt of Health and Environment, E	Bureau of Water, 1000 S W
Jackson St., Ste. 420, Topeka, Ka	nsas 66612-1367. Telephone: 913-296-5545. Se	end one to WATER WELL	OWNER and retain one for you	ır records.