WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Sedgwick	Fraction 1/4 NE 1/4 NW 1/4	Section Number Township No. Range Number 34 T 26 S R 1	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:			
		Latitude: .37.757294 (in decimal degrees) Longitude: 97.307797 (in decimal degrees)	
Conoco Phillips Wichita Terminal		Elevation: 1352	
2400 East 37th Street North, Wichita, KS 67219		<u>Datum</u> : ☐ WGS 84, ☑ NAD 83, ☐ NAD 27	
2 WATER WELL OWNER: Phillips RR#, Street Address, Box #: 420 S.	s 66 1708-02 Phillips Bld	Collection Method: GPS unit (Make/Model:)	
G' G' MTD G 1	ville, OK 74004	☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
		Est. Accuracy: ✓ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 20	ft.	
SECTION BOX: Depth(s) Groun	ndwater Encountered (1).~15	ft. (2) N/A	
N WELL'S STAT	N WELL'S STATIC WATER LEVEL. Unknown ft. below land surface measured on mo/day/yr. Unknown Pump test data: Well water was NA ft. after NA hours pumping NA gpm		
EST. YIELD.	VAgpm. Well water was NA	ft. after N/A hours pumping. N/A gpm	
W E Bore Hole Diameter 3.25			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well INJ-4			
Was a chemical/bacteriological sample submitted to Department? Yes V No			
S If yes, mo/day/yr sample was submitted N/A			
water went districted: 1 Tes 12/11/0			
5 TYPE OF CASING USED: Steel V PVC Other			
Casing diameter .1			
Casing height above land surface. 24 in., Weight N/Albs./ft., Wall thickness or gauge No. Schedule 40			
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
SCREEN-PERFORATED INTERVALS: From 10 ft. to 20 ft. From N/A ft. to N/A ft.			
From N/A ft. to N/A ft. From N/A ft. to N/A ft.			
GRAVEL PACK INTERVALS: From . 8			
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other. Grout Intervals: From 0 ft. to 8 ft., From N/A ft. to N/A ft., From N/A ft. to N/A ft. ft.			
What is the nearest source of possible contamination: Septic tank			
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Adjacent ☐ Distance from well .0.			
FROM TO LITHOLO		TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 20 Direct push hole no lo	ogs available.		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .1/15/2013 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No759 This Water Well Record was completed on (mo/day/year) .2/20/2013			
under the business name of RAZEK Environmental LLC by (signature) A value of the business name of the business nam			
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at			
http://www.kdheks.gov/waterwell/index.html			
KSA 82a-1212		Check: White Copy, Blue Copy, Pink Cop	