WATER WELL RECOI	RD	F	Form WV	VC-5	Di	vision of Wate	r Resources App. N	o, L		
1 LOCATION OF WATER WELL:		Fraction				on Number		Range N		
County: Sedgwick		1/4 if		1/4 NW 1/4		34	T 26 S	R 1	ZE W	
Street/Rural Address of Well Location; if unknown, distance & from nearest town or intersection: If at owner's address, check					Latit	Global Positioning System (GPS) information: Latitude:				
Conoco Phillips Wichita Terminal					Long	Longitude: 97.307658 (in decimal degrees)				
2400 East 37th Street North, Wichita, KS 67219					Eleva	Elevation: 1352				
2 WATER WELL OWNER: Phillips 66 1708-02 Phillips Bld						Datum: WGS 84, M NAD 83, NAD 27 Collection Method:				
RR#, Street Address, Box #: 420 S. Keeler						GPS unit (Make/Model:)				
City, State, ZIP Code : Bartlesville, OK 74004					Digital Map/Photo, Topographic Map, Land Survey					
3 LOCATE WELL						Est. Accuracy: $\square <3 \text{ m}$, $\square 3-5 \text{ m}$, $\square 5-15 \text{ m}$, $\square >15 \text{ m}$				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 20						ft.				
SECTION BOX: De	BOX: Depth(s) Groundwater Encountered $(1), 15, \dots, ft$ $(2), N/A, ft$ $(3), N/A, ft$									
W W	N WELL'S STATIC WATER LEVEL									
Pump test data: Well water was. N/Aft. after. N/A hours pumping. N/A gpm EST. YIELD. N/Agpm. Well water was. N/A the after. N/A										
$W = \frac{1}{1} = $										
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
Image: State of the state										
s If yes, mo/day/yr sample was submitted N/A										
$ 1 \text{ mile} Water well disinfected? \square Yes \square No$										
5 TYPE OF CASING USED: Steel V PVC Other										
CASING JOINTS Glued Clamped Welded V Threaded										
Casing diameter .1										
Casing height above land surface24										
I YPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Yeve Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS' From 10 ft to 20 ft From N/A ft to N/A ft										
GRAVEL PACK INTERVALS: From. 8 ft. to 20 ft., From N/A ft. to N/A ft. to N/A ft. to R.										
GRAVEL PACK INTERVALS: From. 9								ft. ft		
6 GROUT MATERIAL: \Box Neat cement \checkmark Cement grout \Box Bentonite \Box Other										
6 GROUT MATERIAL: □ Neat cement Cement grout □ Bentonite □ Other										
What is the nearest source of possible contamination:										
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							/ below)			
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well										
Direction from well Adja			·····							
FROM TO 0 20 Direct push	LITHOLOC		····	FROM	ТО	LITHO. LO	OG (cont.) <u>or</u> PLU	JGGING	INTERVALS	
0 20 Direct pus	h hole no log	js avaliable			·					
	·····							·····		
		ana								
	- declaration - contract	1			····					
		······								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛛 constructed, 🗌 reconstructed, or 🗋 plugged										
under my jurisdiction and was completed on (mo/day/year) .1/15/2013 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No7.59										
under the business name of RAZEK Environmental. LLC by (signature)										
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies										
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at										
http://www.kdheks.gov/waterwell/index.html.										