LOCATION OF WATER WELL:		WELL RECORD		KSA 82a-1	212 Township Number	Range Number
	SW 1/4	SW 1/4 SI	N 1/4	18	T 26 S	4
tance and direction from nearest to	wn or city street add	ress of well if located 5440 N. Meridia r	d within city?	ansas		
WATER WELL OWNER: Johns	son's General	Store #39				
#, St. Address, Box # : PO Bo	ox 9250				Board of Agriculture, D	Division of Water Resources
y, State, ZIP Code : Wichi	ta, KS 67277-0	250			Application Number:	****
LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:	4 DEPTH OF CO	MPLETED WELL	20	ft. ELE	/ATION:	1329.73
	Deptit(s) Groundw	ater Encountered i				3Ft.
	WELL'S STATIC V	WATER LEVEL	12.725 ft. i	below land s	surface measured on mo/d	ay/yr 09/04/13
NW NE	Pump	test data: Well wat	er was	F	t. after hour	s pumpingGpm
	Est. Yield	Gpm: Well wat	er was	F	ft. after Hou	rs pumpingGpm
W E	Bore Hole Diamete	er 8.625 In. to	20		ft. and	in. to Ft.
SW SE	WELL WATER TO 1 Domestic	BE USED AS: 5 3 Feed lot 6	Public water su Oil field water s	ipply supply	8 Air conditioning 9 Dewatering	in. to Ft. 11 Injection well 12 Other (Specify below)
[x					c) 10 Monitoring well	
S	Was a chemical/ba	acteriological sample			Yes No X If y ster Well Disinfected? Yes	es, mo/day/yr sample was No X
TYPE OF BLANK CASING USED:		5 Wrought Iron				ued Clamped
1 Steel 3 RMP		6 Asbestos-Ceme				elded
2 PVC 4 ABS		7 Fiberglass	ant o other (opeony being	, human amenda and a second and	readed X
Experience of the control of the con		E+				
ank casing diameter 2	in. to 10	Dia	In. to	0	ft., Dia	in. toft.
asing height above land surface	FLUSH I	n., weight	SCH 40	Lbs./ft	Wall thickness or gauge	No.
PE OF SCREEN OR PERFORATION	ON MATERIAL:		7	PVC	10 Asbestos-ce	ment
1 Steel 3 Stain	iless steel	5 Fiberglass	8	RMP (SR)		fy)
	anized steel			ABS		
REEN OR PERFORATION OPENI	CONTRACTOR OF THE PROPERTY OF	THE PERSON NAMED IN THE PE	uzed wrapped			11 None (open hole)
	Mill slot		e wrapped		9 Drilled holes	
	Key punched	7 Tor			10 Other (specify)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
CREEN-PERFORATED INTERVALS						ft. toft.
				ft. F	rom	ft. to Ft.
SAND PACK INTERVALS:		8 ft. to				ft. to Ft.
T	From	ft. to				ft, to Ft.
GROUT MATERIAL: 1 Near	t cement 2 0	Cement grout		tonite	4 Other	
out Intervals From2 0.5	ft. to 6	Ft. From3	6 Ft.	8	ft. From	ft. to ft.
hat is the nearest source of possible				10 Lives	tock pens 14	Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit priv	vy	11 Fuel		Oil well/ Gas well
2 Sewer lines	5 Cess pool	8 Sewag	ge lagoon	12 Fertil	izer storage 16	Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedy	ard	13 Insec	ticide storage	Contaminated Site
rection from well?				How many	•	
FROM TO CODE	LITHOLO	OGIC LOG	FROM	ТО	PLUGGING	INTERVALS
0 1 T	opsoil				- Control of the Cont	
	ilty Clay					
	andy Clay					
20 TD E	nd of Borehole)				was the control of th
				-		
		· · · · · · · · · · · · · · · · · · ·			and the second s	
		······				
				<u> </u>		
CONTRACTOR'S OR LANDOWN	ED'S CEDTIEICATIO	N: This water well:	was (v) construc	ted (2) res	anetructed or (3) alugged	under my jurisdiction and w
						rledge and belief. Kansas
ompleted on (mo/day/yr)	09/03	585	And In			no/day/yr) 09/26/13
	Acconinta	d Environman	ital inc	-	Du / Signatura V Pradiou	.i .ionneon
ater Well Contractor's License No. nder the business name of INSTRUCTIONS:. Please fill in blar	Associate	ed Environmer		as Denartme	By (signature) Bradley	Bureau Watel Jon ka