욲
ä
SSU
0
₹

	ON OF WATE			E 5 E 8	E	Sect	ion Number	I ownship Nu	l	Range N	
County:	Sed	gwick	34 € 1/4	N/E	1/4 SAM		29	т 26	S	R 1	E
Distance ar	nd direction fro	om neares	t town or city street ad	dress of well	if located with	nin city?	Michie	ve .			
			35' N				wicinta,	N3			
			E Oil Company	, inc. c/o	Kevin Bre	own					_
RR#, St. Ad	ddress, Box#	: PO	Box 1303					Board of Agric	ulture, Divisio	on of Water	Resources
City, State,	ZIP Code	: Hut	chinson, KS 67	<u>504-1303</u>				Application Nu	mber:		
3 LOCATE	E WELL'S LO	CATON W	ITH 4 DEDTH OF C	OMBI ETER	WELL	20	ft FLF\	VATION:	132	23.59	
HAN X	N SECTION E	SOA.	I IDEFITION	Wester Case	ntorod 1 F	15		. 2	# 3	171777	Ft.
	-: 1		Depth(s) Ground	water Encou			,		a moldovivr	10/0	11/13
		. i_						surface measured o			
	NW - -	NE						t. after			
<u>v</u>	i I	į	Est. Yield	Gpm: _	Well water w	as	F	t. after	Hours pu	mping	Gpm
<u>₹</u> W			E Bore Hole Diame	eter 8.5	In. to	20) 	ft. and 8 Air condition 9 Dewatering	in. t	0	Ft.
	swX	į	WELL WATER I	O BE USED	AS: 5 PUD	nic water st field water s	uppiy supply	9 Dewatering	ning 11 12	Other (Spec	ify below)
	3,41-	_ 3º Z	2 Irrigation	4 Industr	del 7 Law	m and gard	len (domesti	c) 10 Monitoring	Well	MW.	.9
♦	-	ļ									
	S			bacteriologic	al sample sub	omitted to L		Yes No X			
			Submitted					ter Well Disinfecte			
	F BLANK CAS							CASING JOIN			mped
1 Ste	eel	3 RI			tos-Cement	9 Other	(specify belo	w)	Welded		
2 PV	/C	4 A	3S	7 Fibergl	ass .				Thread	ed	<u>X</u>
				Ft.,			_	————			.
Blank casin	g diameter		in. to 5	Dia Dia		In. t	0	π., Dia	in	ιο	π.
Casing heig	ght above land	surface	FLUSH	In., weight	SC	N 40	LDS./II.	wall thickness of	gauge No.		
TYPE OF S	SCREEN OR F	PERFORA	ΠΟΝ MATERIAL:			7 [PVC	10 Asbe	stos-cement		
. 1 Ste			ainless steel	5 Fibergl	ass	8	RMP (SR)	11 Othe 12 None	r (specify)		
2 Bra			alvanized steel	6 Concre	ete tile	9 wrannad	ABS	12 None 8 Saw cut	usea (open	noie) 1. None (or	en hole)
					5 Gauzed			9 Drilled holes	• •	, None (op	en noie)
1	ntinuous slot		3 Mill slot		6 Wire wra	• •			6.A		
			4 Key punched	5	7 Torch cu	JU 20	4 -	10 Other (speci-	ιy)		
SCREEN-P	PERFORATED	INTERVA	ALS: From		π. το	20	II. F	·			
			From	[']	ft. to		π. μ	rom	π. το		
SAI	ND PACK INT	ERVALS:						rom			
			From		ft. to		ft. F	rom	ft. to		Ft.
6 GROUT	MATERIAL:	1 N	eat cement 2	Cement gro	ut			4 Other			
		0.5	ft. to 2	Ft.	2	Ft.	4	ft From		ft to	fı
				Proms				tock pens	14 Aban	doned wate	r woll
		•	ble contamination: 4 Lateral lines	-	7 Dit privy			storage	15 Oil we	all/ Gae water	Well
								izer storage			
İ	wer lines		5 Cess pool		Sewage la	goon					
	atertight sewer	r lines	6 Seepage pit	ξ	9 Feedyard			ticide storage	Cont	taminate	u Site
Direction fro		1		0010:	т		How many		1001110 11		-
FROM	ТО	CODE		OGIC LOG		FROM	TO	PLU	IGGING INTI	=RVALS	
0	1		Topsoil								
1	14		Silty Clay				 				
14	20		Sandy Clay End of Borehol			1900-1-1	 				
20	TD		End of Borelloi	<u>e </u>							
<u></u>	 			· · · · · · · · · · · · · · · · · · ·			+				
ļ. <u></u>	 	 					1				
ļ											
	<u> </u>										
											
							 				
							1				tion code:
			NER'S CERTIFICATI								
Completed	on (mo/day/yr	·)	10/0	1/13		And th	is record is t	rue to the best of m	ny knowledge	and belief.	Kansas
Water Well	Contractor's L	icense No).	585		This W	ater Well Re	ecord was complete	ed on (mo/da	y/yr) 1 1	1/07/13
lunder the h	ucinace nama	of	ASSOCIAT	ea Enviro	onmentai.	HIIC.	В	iv (signature) 🕒 🗀 🤄	auley J. J	10011112011	
INSTR	UCTIONS: Ple	ease fill in b	lanks and circle the corr	ect answers.	Send three cop	pies to Kans	as Departmer	nt of Health and Envir	onment, Bure	au or wester.	i opeka.

WATER WELL RECORD Form WWC-5 KSA 82a-1212