	WATER WELL F	SECOND E	orm WW	CE VS	A 82a-121	2		
1 LOCATION OF WATER WELL:	FRACTION	ECORD FO		ON NUMBER	TOWNSHIP		RANGE NU	IMBER
Sedgwick	NE 1/4 NW	1/4 NW	1/4	32	T 26		R 1E	."
Distance and direction from nearest town or city				السندين المستدين				***************************************
3727 N. Armstrong Ave.	Wichi	ta, Kansas						
2 WATER WELL OWNER: PEN	DLAY, Roy		,					
	N. Armstrong Ave	•				Board of Agric	ulture, Division of W	ater Resource
	nita, Kansas			CODE:	44.44.44.4	Application Numb	oer:	ining was in the second
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF WHISE	WELL: 27	ft.	E	ELEVATION:			
N De	pth of groundwater Encou	ntered:	ft.			ft.		ft.
W W	ELL'S STATIC WATER LE	VEL 15	FT. BELOV	V LAND SUR	FACE MEASU	RED ON mo/da	ay/yr: 1/31	/14
NWNE	Pump test	data: Well wate	r was		ft. after	hours	of pumping @	gpm
M E B	Est. Yield: gpr		er was		ft. after		of pumping @	gpm
∑ W E B	lore Hole Diameter	in.	to	ft.	and	in.	to	ft.
	ELL WATER UX SE USEI . Domestic 3. Feedlo		er supply S	7. Lawn an	d garden only	9. Dewaterin	9	ction well
	2. Irrigation 4. Industr					10. Monitoring		pecify below)
	Vas a chemical/bacteriological			YES	NO.		<u>hat m</u> o/day/yr v	
su	bmitted			Was Wa	ater Well Disinf	ected? C	YES N	40
5 TYPE OF CASING USED:	5. Wrought Iron	7. Fiberglass	9. Ot	ner (Specify b	elow) CAS	ING JOINTS:	Glued	Threaded
1. Steel 3. RPM (SI	R) 6. Asbestos-Ceme	nt 8. Concrete tile	2				Welded	Clamped
2. PVC 4. ABS		.,		£	£1	Dia. iı	_ 4_	£L.
Blank casing diameter 1 1/4	27	ft., Dia.	in.	to	,		n. to	ft.
Casing height Color land surface:	36 in.,	Weight:	lb	s, / ft.	Wall th	ickness or gaug	e No.	
TYPE OF SCREEN OR PERFORATION 1 Steel 3. Stainless Steel		7. PVČ	9. AE	35	11. Ot	ner (specify) N	I/A	
1. Steel 3. Stainless Steel 5. Fiberglass 7. PVC 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR)				10. Asbestos-Cement 12. None used (open hole)				
		o. ravii (ora)	10.71	DODIOG COM	2110	To many (alian)	,	
SCREEN OR PERFORATION OPENIN 1. Continuous slot 3. Mill s		urrannad	7 T or	ch cut	0 Drill	ed holes	11. None (c	nen hole\
								Apoil Holo,
2. Louvered shutter 4. Key p	ounched 6. Wire wi	apped	8. Sa v	v cut	10. Oth	er (specify) N/	A	
SCREEN - PERFORATION INTERVAL	From	ft. to		ft.,	From	ft.	to	ft.
	From	ft. to		ft.,	From	ft.	to	ft.
GRAVEL PACK INTERVALS:	From	ft. to		ft.,	From	ft.	to	ft.
	From	ft: to		ft.,	From	ft.	to	ft.
6 GROUT MATERIALS: 1. Neat	cement 2. C	ement Grout	3	Bentonite		Other bente	onite hole pl	ug
Grout Intervals: From	ft. to	ft., From	ft,	to	ft.,	From 3		27 ft.
What is the nearest source of possible of	ontamination:	4.						
1. Septic tank 4. Latera). Livestoc	•		icide storage	15. Oil well/0	
2. Sewer lines 5. Cess	Pool 8. Sewa		1. Fuel stor	- ·	14. Aband	on water well	io. Other (S)	pecify below)
3. Watertight sewer line 6. Seepa	age pit 9. Feed	yard 1	2. Fertilizer	storage		40 %	u sautaas	
Direction from well? West	LITUOLOGIOLO	<u></u>			How m	any feet? 40 f		
From To	LITHOLOGIC LO	<u> </u>	From	To			GIC LOG	
<u> </u>			0	3 c	compactede	eartn		

2. Sewer lines 5. Cess Pool 3. Watertight sewer line 6. Seepage pit		9. Feed yard	12. Fertilizer storage		40.6	.		
Direction f	rom well?	West	and the state of t			How many feet? 40 f		
From To	То	LITHOL	OGIC LOG	From	То	LITHOLOGIC LOG		
				00	3	compactedearth		
				3	24	bentonite hole plug		
		<u> </u>						
		 					s incurring of the second control of the sec	
		i	<u> </u>		<u> </u>			
						<u> </u>		
	·						<u></u>	
		<u></u>					· · · · · · · · · · · · · · · · · · ·	
					·			

and this record is true to the best of my knowledge and belief.

This water well record was completed on (mo/day/year)

by (signature)

2/3/2014

Todd S. Harp

1/31/2014

was completed on (mo/day/year)

Kansas Water Well Contractor's License No. 236

under the business name of Harp Well and Pump Service