P	
1	

WATER	WELL RECORD	Form WWC			Resources App. No			
1 LOCATION OF WATER WELL:		Fraction		Section Number Township No. Range Number				
County	: Sedowick	1/4 1/4 SE 1/4	SE 1/4	32	T 26 S	R 1		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
from ne	earest town or intersection: If at	owner's address, check nei	re 🗾.	Longitude: (in decimal degrees)  Longitude: (in decimal degrees)				
				Elevation:				
				Datum: WGS 84	4, 🔲 NAD 83, 🔲	NAD 27		
	ER WELL OWNER: Eduard			Collection Method:	ra/Modal:	)		
		I. Fairview		Digital Man/Ph	oto. Topographi	c Map, Land Survey		
City, S	State, ZIP Code : Wichita	a, KS 67204		Est. Accuracy:	3 m, 🔲 3-5 m, 🔲	5-15 m, □ >15 m		
A LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 50								
SECTION	SECTION BOX: Depth(s) Groundwater Encountered (1).15 ft. (2)							
	WELL'S STATIC WATER LEVEL. 15 ft. below land surface measured on mo/day/yr							
Pump test data: Well water was								
NW NB								
"								
CW	Domestic	☐ Feedlot ☐ Oil	field water	supply [_] De	ewatering 🔲 🤇	Other (Specify below)		
\$w -	SB ☐ Doniestic	☐ Industrial ☑ Don	mestic-law	n & garden ☐ Mo	onitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted								
	S If yes, mo	o/day/yr sample was submit infected? 📝 Yes 🔲 No	пеа					
'								
5 TYPE	OF CASING USED:   Ste	el PVC Oth	er Theodod		••••			
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5								
Casing	height above land surface12.	in Weight 2.	.5	lbs./ft., Wall thic	ckness or gauge N	o. SDR26		
TYPE OI	F SCREEN OR PERFORATION	NMATERIAL:						
	Steel Stainless Steel	PVC		Other (Specify)				
	Brass Galvanized Steel	None used (open hole)	)					
	OR PERFORATION OPENIN	Gauge wrapped   T	orch cut	☐ Drilled holes	None (open hol	le)		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
COREEN DEDEAD ATED INTERVALS. From 30 ft. to								
From ft. to ft., From ft. to ft. ft.  GRAVEL PACK INTERVALS: From 20 ft. to 50 ft., From ft. to ft.								
1	GRAVEL PACK INTERVALS	From ft. t	ioy		ft.	to ft.		
( CDOI	T MATERIAL . Neat cer	nent C Cement grout	☐ Bentoni	ite				
Grout Inte	T MATERIAL: Neat cer ervals: From .3 ft.	to 20 ft. From	f	t. to ft.,	From	ft. toft.		
What is th	he nearest source of possible cor	tamination:						
Septic tank Lateral lines Pit privy Livestock pens insecticide storage United Storage United Storage								
✓ Sewer lines								
Direct	Watertight sewer lines Seepage ion from well East	ppit 1 roodyma 1		rom well40'				
FROM	TO LITHOLO	GIC LOG	FROM	TO LITHO. L	OG (cont.) or PLU	JGGING INTERVALS		
	3 Topsoil							
3	12 Clav							
	45 Medium Sand							
45	50 Shale							
7 CONT	RACTOR'S OR LANDOWN	ER'S CERTIFICATION:	This wate	r well was 🗹 const	ructed, 🗌 reconst	ructed, or plugged		
under my jurisdiction and was completed on (mo/day/year) .05/06/2014 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No238								
177 77	II. t 337-11 Cambractor's I iconso	No. 238 This Wa	ter Well Ka	ecora was complete	a on thio/aay year	1 4 . Y.X. Y 1		
	business name of Premier P. TIONS: Use typewriter or ball point p	SOO DIEACE DUECC EIRMIY AN	a PRINT CIE	ATIV. PICASC IIII III UIAIII	23 and cheek are come	Communication of the communica		
Telephon	Kansas Department of Health and Envir the 785-296-5524. Send one copy to WA	TER WELL OWNER and retain	one for your r	ecords. Include lee of	DO TOF CACH CONSTRU	ICIGU WEII. VISIL US AL		