WATER WELL R Original Record	ECORD Form Correction Change	WWC-5 NW SE S	W W Divisi	ion of Water rces App. No.		Well ID	
1 LOCATION(OF W		Fraction		on Number	Township Numbe	r Range Number	
County: Doe	lewick_	1/4 / 1/4		19	T Z (S)	$R / \mathbf{Z} E \square W$	
2 WELL OWNER: Last Name: Orula First: Street or Rural Address where well is located (if unknown, distance and							
Business: Address: 7.70.5 How no intersection and interse							
Address 2200 Walter 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 100000							
City: Wych			<u> </u>	<u> </u>			
3 LOCATE WELL	4 DEPTH OF CO	MPLETED WELL: .	35. ft.	5 Latitude	e:	(decimal degrees)	
WITH "X" IN SECTION BOX:	Depth(s) Groundwater	Encountered: 1)	ft.	1		(decimal degrees)	
N SECTION BOX.		2)					
	WELL'S STATIC WATER LEVEL:						
	above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.			☐ GPS (unit make/model:			
- F NW NE							
w + e					Online Mapper:		
sw se		water was f			· · · · · · · · · · · · · · · · · · ·		
	Estimated Vield:	rs pumping		6 Elevation	on:ft.	☐ Ground Level ☐ TOC	
S	Bore Hole Diameter:			Source: Land Survey GPS Topographic Map			
mile		in. to	ft.		Other		
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID				ase	
☐ Household Lawn & Garden	6. Dewatering: how many wells?			11. Test Hole: well ID			
Livestock		8. Monitoring: well ID			12. Geothermal: how many bores?		
2. Irrigation		9. Environmental Remediation: well ID			a) Closed Loop		
3. Feedlot	☐ Air Sparge ☐ Soil Vapor Extraction			b) Open Loop Surface Discharge Inj. of Water			
4. Industrial	☐ Recovery				**		
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:							
Water well disinfected? Yes No							
8 TYPE OF CASING USED: Steel PVC Other							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot							
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From ft. fc ft., From ft. to ft., From ft., From ft., From ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible Septic Tank	e contamination: Lateral Line	es	Пт	ivestock Pens	☐ Insectic	ide Storage	
Sewer Lines	☐ Cess Pool	☐ Sewage La	_	uel Storage	_	ned Water Well	
Watertight Sewer Lin	nes	t	☐ F	ertilizer Storag	ge 🔲 Oil Wel	l/Gas Well	
Other (Specify)		Distance from we		12	ft.		
Direction from well? I		OGIC LOS	FROM	· ×		PLUGGING INTERVALS	
C 5	Ton	Or O	1 ROM		THO. BOO (cont.) or	LEGGGING HVIERVINES	
5 /3	Fino	tem S	nd		•		
13 35	Coarse	Jan	and				
			7			****	
			Natar			or some many managers and a superior	
			Notes:				
			\dashv				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was X constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Contractor's Intense No							
under the business name of							
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone (785) 296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212					· · · · · · · · · · · · · · · · · · ·	Revised 9/10/2012	