WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL: County: Sedgwick	Fraction SE ¼ SW ¼ SE ¼	Section Number Township No. Range Number Township No. Range Number R 1 ZE W	
Street/Rural Address of Well Location: if unknown distance & direction (Clabal Positioning System (CPS) information:		Clobal Pagitioning System (CPS) information:	
from nearest town or intersection: If at owner's address, check here			
1025 E. 29th Street N., Wichitz, KS	67219	Elevation:	
2 WATER WELL OWNER: BNSF		Datum:	
DD" C:	ansas Avenue	Collection Method:  GPS unit (Make/Model: Google Earth	
City Objects 7TD Co. 1s		Digital Map/Photo, Topographic Map, Land Survey	
Kansas	City, KS 66106	Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 18.0" ft.			
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 18.0	ft.	
SECTION BOX: Depth(s) Ground	twater Encountered (1)	ft. (2) ft. (3) ft.	
WELL STATIC WATER LEVEL.19.19			
1 1 1 1	Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm		
W   EST. YIELDgpm. Well water was			
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well			
SWSE   Domestic   received   Oil field water supply   Dewatering   Other (Specify below)			
Was a chemical/bacteriological sample submitted to Department? Yes V No			
S If yes, mo/day/yr sample was submitted			
Water well disinfected? Yes No			
5 TYPE OF CASING USED: Steel PVC Other			
CASING JOINTS: Glued Clamped Welded 71 Threaded			
Casing diameter 2.0° in to 8.0° ft Diameter in to ft Diameter in to ft			
Casing height above land surface. Flust. in., Weight			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
Steel Stainless Steel PVC Other (Specify)			
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)			
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 8.0' ft. to			
From			
GRAVEL PACK INTERVALS: From 6.0' ft. to 18.0' ft., From ft. to ft.			
	From ft. to	ft., From ft. ft. to ft.	
6 GROUT MATERIAL: Neat cement Cement grout P Bentonite Other Concrete  Grout Intervals: From 0 ft. to 1.0' ft., From 1.0' ft. to 6.0' ft., From ft. to ft.			
Grout Intervals: From .0 ft. to What is the nearest source of possible contains		n. to n., From n. to n.	
	es Pit privy Livestoc	k pens Insecticide storage Other (specify below)	
Sewer lines Cesspool	Sewage lagoon Fuel stor		
	it Feedyard Fertilize		
Direction from well		se from well	
FROM TO LITHOLOG	IC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
See Boring Log			
9 18' SENU			
9 18 32,01			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged			
under my jurisdiction and was completed on (mo/day/year) .02/16/2016 and this record is true to the best of my knowledge and belief.			
Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/year) .03/10/2016			
under the business name of PSA Environmental Services, LLC by (signature)			
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies			
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at			
http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy			