1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	<del></del>	Range Number
Sedgwick	NW 1/4	SE 1/4 S	E 1/4	7	1	'	1170
Distance and direction frem nearest town or city			E 1/4	,	т 26 s	R	1E <sub>E/W</sub>
6345 N. Sullivan Wichita, Kansas							
WATER WELL OWNER: HENDERSON, ROSS							
	N. Sulliv				Board of Agr	riculture, Divivsion of	Water Resource
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:							
LOCATE WELL'S LOCATION WITH		MARGED WELL	26	ft. ELI	EVATION: grade		
AN "X" IN SECTION BOX:	Depth(s) groundw	-111	1	ft.	2 ft		ft.
t	WELL'S STATIC W				RFACE MEASURED ON mo	-	09/1998
	Pump tes		ater was	ft.	after hou	urs pumping	gpm
NE	Est. Yield		ater was	ft.		urs pumping	gpm
E E	Bore Hole Diameter (		to	ft.	and	in. to	ft.
= "	WELL WATER 2007	USED AS: 5	Public water	supply	8 Air conditioning	11 Injection	well
96,	1 Domestic	3 Feediot 6	Oil field wa	ter supply	9 Dewatering	12 Other (Sp	pecify below)
	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well		
	Was a chemical/bacte	riological sample sub	mitted to De	partment? Yes	No ;	If yes, mo/day/yr	sample was
submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED:		5 Wrought iron		Concrete tile	CASING JOINTS	S: Glued	Clamped
1 Steel 3 RMP (SR)	-	6 Asbestos-Cement 9 Other (Specification)			,		
2 PVC 4 ABS		7 Fiberglass				Threaded	
Blank casing Diameter 1 1/4 Casing height above land surface 2	in. to	ft., Dia	in.	to	ft., Dia	in. to	ft.
TYPE OF SCREEN OR PERFORAT		weight	7		Wall thickness or gauge	e No. tos-cement	
1 Steel 3 Stainless Steel	5 Fiberglass	7 PVC 5 Fiberglass 8 RMP (SR)			44 0 4 4 4		
2 Brass 4 Galvanized stee	ı	6 Concrete tile		ABS		used (open hole)	/A
SCREEN OR PERFORATION OPE	-	5 Congo	_		8 Saw cut		
1 Continous slot 3 Mill slo		5 Gauzed wrapped 6 Wire wrapped		8 Saw cut 11 None (open hole) 9 Drilled holes			
2 Louvered shutter 4 Key pu		7 Torch cut			37 / 3		
SCREEN-PERFORATION INTERV					10 Other (specify)	N/A	
SCREEN-PERFORATION INTERV		ft. í	_	ft., From		ft. to	ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., From		ft. to	ft.
GRAVEL FACK INTERVALS: ITOM		ft. to ft. to		ft., Fron ft., Fron		ft. to ft. to	ft.
6 GROUT MATERIAL: 1 Neat c		ement grout		tonite	4 Other	11. 10	
Grout Intervals: From O	ft. to 5	ft. From	ft. 1			ft. to	
What is the nearest source of possible contamination:		it from it.		10 Livesto	ft. From ck pens	14 Abandon v	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel st	orage	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertiliz	zer storage	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? South			_		How many feet?	25	
FROM TO LITHOLOGIC LOG		FROM TO			PLUGGING INTERVALS		
			0		cement grout		
			5	18	bentonite ho	ole plug	
			18	26	chlorinated	sand an	d gravel
	<del></del>				<del></del>		
				1			
						2.40.2	
7 CONTRACTORISON AND OFFICE	R CERTIFICATION Thi	e water well was (4)	construct	d (2) record	usted or (2) pluses 4:	under mus issuit	listion and
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
Well Contractor's License No	236	This Water Well Red	cord was co	mpleted on (m	o/dav/vr)Q	4/13/98	Talibus Vialei
Under the business name of HarpWell&PumpServiceInc by (signature)							
Todd S. Harp							
							/