1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number	
Sedgwick	NW 1/4	SE 1/4 S	E 1/4	7	т 26 s	R 1E EW	
Distance and direction frem nearest town or city street address of well if located within city?							
6345 N. Sullivan Wichita, Kansas							
WATER WELL OWNER: HENDERSON, ROSS							
formers and the second	N. Sulliv				Board of Agriculture, Di	lvivsion of Water Resource	
CITY, STATE, ZIP CODE: Wichita, Kansas Application Number:							
LOCATE WELL'S LOCATION WITH 4	DEPTH OF COL		25 ft. ELEVATION: grade				
AN "X" IN SECTION BOX:	Depth(s) groundwa	4/1	1	ft.	2 ft.	3 ft.	
	- 17 -	ATER LEVEL 15			JRFACE MEASURED ON mo/day/yr	04/09/1998	
	VELL'S STATIC W. Pump test		ater was				
NW NE	st. Yield		ater was	ft. ft.	after hours pum		
	st. Tiem ore Hole Diameter ูป	01	ater was	rt. ft.	- ·	ping gpm to ft.	
E W	ELL WATER TO		io Public wate	=		njection well	
	1 Domestic		Oil field wa		-	Other (Specify below)	
sw sty	2 Irrigation		Lawn and g	11.	10 Monitoring well	(1	
Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded							
2 PVC 4 ABS 7 Fiberglass Threaded							
Blank casing Diameter 1 1/4 ir	n. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 24	in.,	weight		lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION	7 PVC			10 Asbestos-ceme	ent		
1 Steel 3 Stainless Steel 5 Fiberglass				8 RMP (SR) 11 other (specify) N/A			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)						-	
SCREEN OR PERFORATION OPEN	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)		
1 Continous slot 3 Mill slot	6 Wire wrapped			9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut				10 Other (specify) N/	'A		
SCREEN-PERFORATION INTERVALS: from		ft. (to	ft., Fron	•	ft.	
from		ft. to		ft., Fron		ft.	
GRAVEL PACK INTERVALS: from		ft. to		ft., Fro		ft.	
from		ft. to		ft., Fro		n.	
6 GROUT MATERIAL: 1 Neat cer	nent 2 C	ement grout	3 Ber	tonite	4 Other		
Grout Intervals: From O	ft. to 5	ft. From	ft.	to	ft. From	ft. to ft.	
What is the nearest source of possible contamination:		10 J		10 Livest	vestock pens 14 Abandon water well		
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel s	torage 15 C	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon				16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? South					How many feet? 25		
FROM TO LITHOLOGIC LOG						LUGGING INTERVALS	
			0		cement grout	•	
			5		bentonite hole		
			18	26	chlorinated san	a and gravel	
				+ +			
				+ +			
							
			1				
			 				
			1			ALIEN A BUTTAL OT LE	
			1	1 1			
			†	1			
			<u> </u>	1		The same of the sa	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was (1) constructed (2) reconstructed or (3) plugged under my jurisdiction and							
I COLLEGE OF DAY DAY DAY DALIE PROCESTINGLY THIS MALE MEH MAS LIL CAUSINGLES, IN LECAUSINGLES, OF LAS DIAMAGE MINES HIS INITIALISM AND							
was completed on (mo/day/year)							
Under the business name of Harp Well & Pump Service. Inc. by (signature)							
Todd S. Harp							
					nature)		