11.00:-				WELL RECORD	Form WWC-5					
	_	TER WELL:	Fraction	SE C.		ction Number		- 1	Range Number	
Distance a	edgwic nd direction West	from nearest town	SE ¼ or city street add hita, Ks.	SE 1/4 SU dress of well if locate		17	T 26	S L	R / (E)W	
1		Ouik								
4	WELL OW	NEH: 703	W. 53rd.				0		-:614/a4 D	
	Address, Bo	X #	ita,KS.				•		sion of Water Resource	
City, State	ZIP Code		•		00/		Application N	umber:		
I LOCATE	IN SECTION	OCATION WITH 4 DO	DEPTH OF CO epth(s) Groundw ELL'S STATIC V	MPLETED WELL. ater Encountered NATER LEVEL 13	.20fl. t	ft. ELEV. ft. pelow land su	ATION:	ft. 3 o/day/yr /	1-25-97t.	
-	- NW		st. Yield	gpm: Well wat	er was	ft.	after	ours pump	ng gpm ng gpm	
∯ w ├		t		•					, , , , , , , , , , , ,	
₹	-	i i w	ELL WATER TO		5 Public water		8 Air conditioning	•	ction well	
I -	- sw	SE	1 Domestic	3 Feedlot	6 Oil field wa		9 Dewatering		er (Specify below)	
	ĺ	ī	2 Irrigation	4 Industrial			(10) Monitoring well			
L	<u> </u>	m	as a chemical/ba	acteriological sample	submitted to D		esNo.		o/day/yr sample was sul	
TYPE C	F BLANK (CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING JOINT	S: Glued	Clamped	
1 Ste	el	3 RMP (SR)	1	6 Asbestos-Cement	9 Other	(specify belo	w)	Welded .	· · · · · · · · · · · · · · · · · · ·	
2 PV		4 ABS		7 Fiberglass				Threade	J	
Blank casir	ng diameter	<i>2</i> .375in	, to 10'	ft., Dia	in. to		ft., Dia	in.	to SDR 13	
Casing hei	ght above la	and surfaceFUU					/ft. Wall thickness or g			
_	-	R PERFORATION I	· (, = 3	7 PV			os-cement		
1 Ste		3 Stainless s		5 Fiberglass		MP (SR)				
2 Bra		4 Galvanized		6 Concrete tile	9 AB	` '		used (open		
		RATION OPENINGS			ed wrapped		8 Saw cut	٠,٠		
	ntinuous slo							1	None (open hole)	
					wrapped		9 Drilled holes			
	uvered shutt		punched 26	7 Torch	1 ~ /		, , , , , , , , , , , , , , , , , , , ,			
SCHEEN-F	PERFORATI	ED INTERVALS:	From							
G	RAVEL PA	CK INTERVALS:	From	ft. to		ft., Fro		ft. to		
J GROUT	MATERIAL	: 1 Neat cen	nent , (2	Cement grout	, (3)Bento	onite , 4	Other			
Grout Inter What is the	-	n	to 5	ft., From	(a) ft.	to. ()	ft., From		it. to	
_	ptic tank	4 Lateral		7 Pit privy	<u> </u>	(11)Fuel	•		ell/Gas well	
2 Sewer lines 5 Cess po		xol	8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)			
3 Watertight sewer lines 6 Seepage				• •			13 Insecticide storage			
		South	o p	o i coayara			any feet? 100			
FROM	TO		LITHOLOGIC LO	OG.	FROM	TO	PLUG	GING INTE	RVALS	
0	4.50	Grass-dk-			1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-				
				no odor, s	tiff.	! · · · · · · · · · · · · · · · · · · ·				
4.50	8			lry, friabl		· · · · · · · · · · · · · · · · · · ·				
	<u> </u>			e to fine						
8	12					 				
	14			sand, fir						
12	14 50	dry, no c				 				
12	14.50			and, moist						
		_faint_odc								
14.50	20			sand, wet,						
		mod. odor	, well g	raded.						
						ļ				
						ļ <u>,</u>				
						L İ	I. mt OK'D	by Do	n Taylor	
						<u> </u>				
CONTE	ACTOR'S	OR I ANDOWNED'S	CERTIFICATIO	N: This water well u	as (f) constru	cted (2) rec	onstructed or (3) plug	ged under	my jurisdiction and was	
		year) . 11-24-							edge and belief. Kansas	
Mater Mater	Contracts	yuai) ; ; ; . ; . ; . ; . ; . ; .	. 				on (mg/day/yr)		7	
						is completed by (signa		Rin	b_{α} ,	
	-			tal Drilli	-		7			
INSTRUC	JIIONS: Use ty and Environm	pewriter or ball point pen ent, Bureau of Water, Top	. <u>PLEASE PRESS FIR</u> peka, Kansas 66620-0	<u>MLY</u> and <u>PRINI</u> clearly. Pl 0001. Telephone: 913-296-	ease till in blanks, 5545. Send one to	unaeriine or circ WATER WELL C	e the correct answers. Send WNER and retain one for yo	op inree copi our records.	ss to nansas Department	