

1	LOCATION OF WATER WELL: <b>Sedgwick</b>	FRACTION <i>SE NW SE SE</i> <del>NW</del> 1/4 <del>SE</del> 1/4 <del>SE</del> 1/4	Section Number <b>18</b>	Township Number <b>T 26 S</b>	Range Number <b>R 1E E/W</b>
---	--	---	-----------------------------	----------------------------------	---------------------------------

Distance and direction from nearest town or city street address of well if located within city?

5490 N. Sullivan                      Wichita, Kansas

WATER WELL OWNER: **BABB, Vicki**  
 RR#, ST. ADDRESS, BOX #: **5490 N. Sullivan**  
 CITY, STATE, ZIP CODE: **Wichita, Kansas**

Board of Agriculture, Division of Water Resource

**Application Number:**

**LOCATE WELL'S LOCATION WITH  
AN "X" IN SECTION BOX:**

4	DEPTH OF PENETRATION WELL	30	ft.	ELEVATION:	
	Depth(s) groundwater Encountered	1	ft.	2	ft.
	WELL'S STATIC WATER LEVEL	12	FT. BELOW LAND SURFACE MEASURED ON	mo/day/yr	09/21/1998

Pump test data:		Well water was	ft. after	hours pumping	gpm
Est. Yield	gpm:	Well water was	ft. after	hours pumping	gpm
Bore Hole Diameter	Unknown	in. to	ft. and	in. to	ft.
WELL WATER TO BE USED AS:		5 Public water supply	8 Air conditioning	11 Injection well	
1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)	
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well		

Was a chemical/bacteriological sample submitted to Department? Yes ☐ No ☒ ; If yes, mo/day/yr sample was submitted \_\_\_\_\_

Water Well Disinfected? Yes ☒ No ☐

5	TYPE OF CASING USED:
---	----------------------

1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	11 Asbestos-cement	14 Steel	17 Chipped
2 PVC	4 ABS	6 Asbestos-Cement	9 Other (Specify below)		Welded	
		7 Fiberglass			Threaded	X
Blank casing Diameter	1 1/4 in. to	ft., Dia	in. to	ft., Dia	in. to	ft.
Casing height below land surface	36 in.,	weight	lbs. / ft.	Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION MATERIAL:			7 PVC	10 Asbestos-cement		
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 other (specify)	N/A	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)		

**SCREEN OR PERFORATION OPENING ARE:**

<b>1</b> Continuous slot	<b>3</b> Mill slot	<b>6</b> Wire wrapped	<b>9</b> Drilled holes
<b>2</b> Louvered shutter	<b>4</b> Key punched	<b>7</b> Torch cut	<b>10</b> Other (specify) <b>N/A</b>

SCREEN-PERFORATION INTERVALS:		from	ft. to	ft., From	ft. to	ft.
		from	ft. to	ft., From	ft. to	ft.
GRAVEL PACK INTERVALS:		from	ft. to	ft., From	ft. to	ft.
		from	ft. to	ft., From	ft. to	ft.

6	GROUT MATERIAL:		1 Neat cement	2 Cement grout	3 Bentonite	4 Other	bentonite hole plug	
	Grout Intervals: From 0		ft. to 3	ft. From	ft. to	ft. From 3	ft. to 30	ft.

**What is the nearest source of possible contamination:**

1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	14 Abandon water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below)
				None Apparent

### Direction from well?

### How many feet?

[illegible]

7. CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 09/21/1998 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 09/25/98 Under the business name of Harp Well & Pump Service, Inc. by (signature) \_\_\_\_\_

Todd S. Harp