1.00			1	Water Well Reco	rd Form WWC-5		<u> </u>		
Lice	ATION OF WA	ATER WELL:	FRACTION			Section Number	Township Number	Range Number	
	Sedgy	vick	SW 1/4	NW 1/4	NW 1/4	20	т 26 s	R 1E E/W	
Distance and direction frem nearest town or city street address of well if located within city?									
1031 W. 52nd N. Wichita, Kansas									
WATER WELL OWNER: BRILLEMEYOR, Lori									
	ST. ADRESS						Roard of Agriculture, D	tvivsion of Water Resource	
TOST W. SZRU N.									
							Application Numbe	r:	
	ATE WELL'S I (" IN SECTIO	N DOV.		MPLETED WELL	40		EVATION:		
	1.020110	N I	Depth(s) groundy	ater Encountered	1	ft.	2 ft.	3 ft.	
		WE	ELL'S STATIC W	ATER LEVEL 1	5 m	BELOW LAND SUI	RFACE MEASURED ON mo/day/yr	05/04/1998	
1	λνw	Nr.	Pump tes	t data: Well	water was	ft.	after hours pum	ping gpm	
	,		Yield	gpm: Well	water was	ft.	after hours pum		
N M		n Rom	e Hole Diameter	12 in.	to 40	ft.	and in.	to ft.	
₹ v	ν <u> </u>	1 12	LL WATER TO		5 Public wate			njection well	
		WE					•	•	
Ìт	sw		1 Domestic	3 Feedlot	6 Oil field wa		•	Other (Specify below)	
11	1		2 Irrigation	4 Industrial	7 Lawn and g	arden only 1	0 Monitoring well		
1 +			s a chemical/bact	eriological sample s	ubmitted to De	epartment? Yes	No 🗶 ; If yes, m	no/day/yr sample was	
S submitted Water Well Disinfected? Yes X No									
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Ste	el	3 RMP (SR)		6 Asbestos-Ceme	_	Other (Specify be		Velded	
2 DY/	_	• •				` • •	•		
2 PV	_	4 ABS		7 Fiberglass	S	DR-26	1	hreaded	
Blank c	asing Diam	eter 5 in.	to 30	ft., Dia	in.	to	ft., Dia in.	to ft.	
		ve land surface 12	in.,	weight 2	2.35	lbs. / ft.	Wall thickness or gauge No.	.214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement									
1 Ste	æl	3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specify)	
4D 4.00									
12 Polic asea (Open NOE)									
			G ARE:		zed wrapped			11 None (open hole)	
	inous slot	3 Mill slot	_	6 WIF	e wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 30 ft. to 40 ft., From ft. to ft.									
1			from		. to	ft., From		ft.	
1	GRAV	EL PACK INTERVALS			t to 40	ft., From			
1	010111		from	-	t to	ft., From		ft.	
6 GP	HT MAT	ERIAL: 1 Neat ceme		Cement grout				hala mlass	
Count Internals France									
The state of the s									
								bandon water well	
1 Septic tank 4 Lateral lines					7 Pit privy			15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon				16 Other (specify below)	
3 Wate	ertight sew	er lines 6 Seepage p	oit	9 Feedyard		13 Insection	cide storage None	Apparent	
Direction from well?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0	4	topsoil			1.1.0.1.2	1 1	TD000ING INTE	VALOS	
4	15					-			
1 5		clay	. •			+			
15	40	medium sa	na			+			
	.								
						 			
	t					 			
	 					+			
							7-11-2		
	_								
				1 - 171 - 171					
						 			
<u> </u>									
7 CO	NTRACTO	R'S OR LANDOWNER'S CE	ERTIFICATION: Th	is water well was	(1) construct	ed. (2) reconstru	ucted, or (3) plugged under n	ny jurisdiction and	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
Well Contractor's License No236									
Under	Under the business name of Harp Well & Pump Service Inc. by (signature)								
	Duəli				······································	am by (siglic	Todd S	Han	
ı							S G G G G G G G G G G G G G G G G G G G	· July	