WATER WELL RECORD Form WWC-5 Division of Water							
	al Record Correction Change in Well Use		Resources App. No.			Well ID	
LOCATION OF WATER WELL: Fraction SW/SW/			NI Sect	ion Number	Township Numb		ge Number
2 WELL OWNER: La	st Name: Bray				here well is located		
Business: direction from nearest fown or intersection): If at owner's address, check here:							
Address: 3737 N. Sullivan 5737 W. Sullivan							
City: Wichita State: K.S. ZIP: 67204							
3 LOCATE WELL	i		410	0			
WITH "X" IN	4 DEPTH OF CO.	MPLETED WELL:	79 n.	5 Latitude:			
SECTION BOX:	Depth(s) Groundwater 2) ft.						
N	WELL'S STATIC WA			tal Datum: WGS 8		3 □ NAD 2/	
	☐ below land surface		Source for Latitude/Longitude:  GPS (unit make/model:)				
NW NE	☐ above land surfac		(WAAS enabled? ☐ Yes ☐ No)				
1 17	Pump test data: Well		☐ Land Survey ☐ Topographic Map				
w  -  E	after hou	gpm	Online Mapper:				
SW SE	Well						
	after hours pumping gpm Estimated Yield:gpm			6 Elevation:ft. Ground Level TOC			
	Bore Hole Diameter:	A and	Source: Land Survey GPS Topographic Map				
S    mile			Other				
1 mile  in. to ft.							
1. Domestic:		ater Supply: well ID		10. □ Oil I	Field Water Supply: 1	ease	
Household	6. Dewater		10. ☐ Oil Field Water Supply: lease				
☐ Lawn & Garden	7. Aquifer l		☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock	8. 🔲 Monitori		12. Geothermal: how many bores?				
2. 🗖 Irrigation	<ol><li>Environment</li></ol>		a) Closed Loop				
3. Teedlot	Air Spar	xtraction	b) Open Loop   Surface Discharge   Inj. of Water				
4. Industrial	☐ Recover				r (specify):		
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:							
Water well disinfected? ☐ Yes 🗷 No							
8 TYPE OF CASING USED: ☐ Steel M PVC ☐ Other							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:  ☐ Continuous Slot ► Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From PANE fit to							
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well							
Other (Specify) Direction from well? East Distance from well? 50 ft.							
10 FROM TO		OGIC LOG	FROM		ITHO. LOG (cont.) o		INTERVALS
0 10		OIC LOG	1 KOW	10 1	LALIO, LOG (COIII.) O	LOOGING	MILLENATO
	Fine tan s	3 nd	<del>                                     </del>				
20 40	Coarse to				-		
AU 70	CUX13C 10	11 201U					
		,					
			† ···		<u> </u>		
			Notes:	1			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (morday-year)							
Kansas Water Well Contractor License M							
under the business name	of Harlo	2 Fresh TV	U-R-KISig	nature	- ( ) .	يريموكم	<u> </u>
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.  Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							
T TISIC US GLIRUD.// WWW.NURCAS.	GO TO TRAILED TREATE HILLOW, HILLING					TACATORN	VIMULU