	WELL F			WWC-5		ivision of Water				
		Correction		ge in Well Use		sources App. N		Well ID		
1 LOCATION OF WATER WELL: County: SEDGWICK				Fraction	Section Number Township Number Range Number					
				NW 1/4 SE 1/4 NE						
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distant business: BOA COMPANIES direction from nearest town or intersection): If at owner's address, check										
Address: 7540 WEST NORTHWIND City: WICHITA State: KS ZIP: 67205 512 HORSESHOE BEND, MAIZE, KS, 6710								101		
3 LOCATE WELL 4 DEPTH OF COMPLETED WELL, 59 8 5 Letter I.										
1	WITH "X" IN SECTION BOX: Depth(s) Groundwater Encountered: 1)									
1	2) ft. 3) ft., or 4)						ntal Datum: WGS 8	4 □ NAD 83 □ NAD 27		
I	WELL'S STATIC WATER LEVEL:10					ft. Source for Latitude/Longitude:				
				, measured on (mo-da			_ ()		
				, measured on (mo-day vater was			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
				s pumping				арте тар		
Sw A	SE			vater was	ft.					
		atter	hours	pumping gpm 6 Elevat			tion:ft	Ground Level TOC		
	S Estimated Yield:29 Bore Hole Diameter:			10.5 in to 59				GPS Topographic Map		
1 r	nile		in. to ft.				☐ Other			
7 WELL WATER TO BE USED AS:										
1. Domestic				ater Supply: well ID				ease		
							t Hole: well ID			
Livesto				g: well ID						
2. Irrigati	2. ☐ Irrigation 9. Environmental Remediation: well ID						a) Closed Loop Horizontal Vertical			
3. ☐ Feedlot ☐ Air Sparge										
4. Lidusti			Recovery				ner (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:										
Water well disinfected? ■ Yes □ No										
8 TYPE OF CASING USED: Steel PVC Other										
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)										
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot										
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)										
SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From 27 ft. to 59 ft., From ft. to ft. From ft. to ft.										
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other										
Grout Intervals: From										
Septic Tank										
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well										
■ Watertight Sewer Lines										
☐ Other (Specify)										
10 FROM	TO	<u></u> 1	ITHOLO	GIC LOG	FROM	ТО	LITHO LOG (cont.) o	r PLUGGING INTERVALS		
0		TOP SOIL	ULU	0.0 0.0	TROW	10	E. ITTO. LOG (COIII.) U	LEGGING INTERVALS		
1	9	CLAY								
9		FINE SAND						44.		
22		CLAY								
28		MED SAND								
35		CLAY		****	Notes:					
36 59 MED SAND N										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo-day-year) .5/2/2018 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 884 This Water Well Record was completed on (mo-day-year) .7/1.1/2018 under the business name of .WENINGER.DRILLING.LLC										
under the b	usiness nam	e of .VVEININ	\$5,00 for an	ch constructed well to: V	ancac Decado	Signature MARS	Environment Burgay of U	Jater GWTS Section		
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							.cc. your records. Teleph	Revised 7/10/2015		