| WA.  | IEK W  | ŒLL PL      | UGGING I                                     | KECOKD    | Form W        | VC-5P                                 | KSA 82   | 2a-1212 II | NO.    |                         |  |
|--|--|-------------|--|-----------|---------------|---------------------------------------|--|------------|--------|-------------------------|--|
| 1 L  | OCATIO   |             | TER WELL:                                    | Fraction  | 1/4 Nw 1/4 SE | Section 8                             | n Number   | T 26       | S      | Range Number  1 ✓ E □ V |  |
| Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Approximately one-half mile west of the intersection of 61st Street and Broadway Street   |  |             |  |           |               | Latitude: Longitud Elevation Horizont | Global Positioning Systems (GPS) information:  Latitude: 37.8026604 (in decimal degrees)  Longitude: -097.3447021 (in decimal degrees)  Elevation: 1.337.91  Horizontal Datum: WGS84, NAD83, NAD27  Collection Method: |            |        |                         |  |
| R  | R#, St. A  | Address, Bo | VNER: El Pa<br>ox #: 2 N. Ne<br>: Colorado : | vada Ave  | Di            | GPS unit (Make/Model:                 |  |            |        |                         |  |
| l W  | WITH AN "X" IN SECTION BOX:    WELL'S STATIC WATER LEVEL 18.25   ft     WELL WAS USED AS:    Domestic   Public Water Supply   Oil Field Water Supply   Monitoring   Monitoring   Public Water Supply   Public Water Supply   Monitoring   Public Water Supply   Public W |             |  |           |               |                                       |  |            |        |                         |  |
| 5 TYPE OF BLANK CASING USED:   |  |             |  |           |               |                                       |  |            |        |                         |  |
| Steel RMP (SR) Wrought Fiberglass Other (Specify below)  ABS Concrete Tile  Blank casing diameter 2" in. Was casing pulled? Yes No If yes, how much 2' ags & 3' bgs  Casing height above or below land surface 27" ags in.   |  |             |  |           |               |                                       |  |            |        |                         |  |
| Grout Plug Intervals: From 24.63 ft. to 3.0 ft., From ft. to ft., From ft. to ft.  What is the nearest source of possible contamination:  Septic tank Seepage pit Pit privy Fuel storage Fertilizer storage Insecticide storage Abandoned water well Cess pool  Lateral lines Cess pool  Bentonite Other  Other  Other  Other  Other (specify below)  Pipeline  Direction from well?  How many feet? |  |             |  |           |               |                                       |  |            |        |                         |  |
|  | FROM   | TO          | PLUG   | GING MATE | RIALS         | FROM                                  | TO   | PLUG       | GING N | MATERIALS               |  |
|  | 4.63   | 3.0         | Bentonite ch                                 |           |               |                                       |  | 1250       |        |                         |  |
| 3.   | 0  | 0.0         | Native soil/to                               |           |               |                                       |  |            |        |                         |  |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 7/26/2018 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No  |  |             |  |           |               |                                       |  |            |        |                         |  |
| Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS 66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.  Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> Telephone 785-296-5524.  |  |             |  |           |               |                                       |  |            |        |                         |  |
| KSA82a-1212 Revised 1/20/2015  |  |             |  |           |               |                                       |  |            |        |                         |  |

MW-30