KOLAR Document ID: 1430226

WATER WELL RECORD FORM WWC-5  ☐ Original Record ☐ Correction ☐ Change in Well Use					ion of Wate				7 11 115		
<u> </u>		e in Well Use			rces App. N		`		Vell ID	an Manulana	
1 LOCATION OF WATER WELL: County:		Fraction 1/4 1/4 1/4 1/4 1/4		Section Number		r	Township Number		Rang	ge Number □ E □ W	
2 WELL OWNER: Last Name:				Rura	1 Address v	where					
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if Business: direction from nearest town or intersection): If at owner's a											
Address:										_	
Address: City:	ZIP:										
2 LOCATE WELL	State:	•									
WITH "X" IN	WITH "X" IN 4 DEPTH OF COMPLETED WELL:				5 Latitu	ıde:				(decimal degrees)	
SECTION BOX: Dej	Depth(s) Groundwater Encountered: 1)				Longitude:(decimal degrees)						
N W/I		3) ft., or 4) □ ΓER LEVEL:		II			'GS 84 [		; 🔲 N	AD 27	
					titude/Lon			,			
	below land surface, measured on (mo-day-yr)  above land surface, measured on (mo-day-yr)  above land surface, measured on (mo-day-yr)										
	Pump test data: Well water was ft.				☐ Land Survey ☐ Topographic Map						
W E					n Online Mapper:						
SW   SE	rater was ft.										
	pumping gpmgpm			<b>6 Elevation</b> :ft. ☐ Ground Level ☐ TOC							
	in. to ft. and			Source:   Land Survey   GPS   Topographic Map							
mile		in. to ft.				☐ Other					
7 WELL WATER TO BE USED AS:											
1. Domestic:		ter Supply: well ID									
Household					11. Test Hole: well ID						
☐ Lawn & Garden ☐ Livestock	echarge: well ID										
2. ☐ Irrigation											
3. ☐ Feedlot					a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water						
4. ☐ Industrial			13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
Water well disinfected? ☐ Yes ☐ No											
8 TYPE OF CASING USED: ☐ Steel ☐ PVC ☐ Other											
Casing diameter in. to ft., Diameter ft., Diameter ft., Diameter ft.											
Casing height above land surface											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft., From ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From							ft. to		ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft.											
□ Septic Tank       □ Lateral Lines       □ Pit Privy       □ Livestock Pens       □ Insecticide Storage         □ Sewer Lines       □ Cess Pool       □ Sewage Lagoon       □ Fuel Storage       □ Abandoned Water Well											
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well											
☐ Other (Specify)							_				
Direction from well? Distance from well											
10 FROM TO	LITHOLOG	GIC LOG	FROM	Л	TO	LITHO	D. LOG (co	nt.) or PL	UGGING	3 INTERVALS	
			+	+							
			+	+							
			1	$\top$							
			Notes	:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Water Well Contractor	or's License No	This Wa	ter Well	Reco	rd was con	npleted	d on (mo-	day-year)			
under the business name of .										• • • • • • • • • • • • • • • • • • • •	
		ELL OWNER and retain o							Calanhan -	785 206 2565	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212											