KOLAR Document ID: 1523298

WATER WELL REC		WWC-5 ge in Well Use		Division of Water Resources App. No.		Well ID		
1 LOCATION OF WAT		Fraction		tion Number	Township Numb			
County:		1/4 1/4 1/4	1/4		T S	R DE DW		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business:	lirection from r	nearest town or intersection): If at owner's address, check here:						
Address:								
Address: City:	State:	ZIP:						
3 LOCATE WELL								
WITH "X" IN	"X" IN 4 DEPTH OF COMPLETED WELL:							
SECTION BOX:	N ROX: Depth(s) Groundwater Encountered: 1)			2018 (deeman degrees)				
N	2) ft. 3) ft., or 4) \( \subseteq WELL'S STATIC WATER LEVEL:			2 attains (1 ) ( 65 ) . ( 1 ) 1 ( 1 ) 2 /				
	below land surface, measured on (mo-day-yr)			Source for Latitude/Longitude:  GPS (unit make/model:)				
				(WAAS enabled?  Yes No)				
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map				
W E				☐ Online Mapper:				
SWSE	Well water was ft.							
	after hours pumping gpi Estimated Yield:gpm			<b>6 Elevation</b> :ft. ☐ Ground Level ☐ TOC				
				Source:				
mile					Other			
7 WELL WATER TO BE USED AS:								
1. Domestic: 5. ☐ Public Water Supply: well ID								
Household		11. Test Hole: well ID						
Lawn & Garden	<b>—</b> 1				☐ Cased ☐ Uncased ☐ Geotechnical			
☐ Livestock 2. ☐ Irrigation	<u> </u>			12. Geothermal: how many bores?				
3. ☐ Feedlot				b) Open Loop  Surface Discharge Inj. of Water				
4. Industrial Recovery Injection					13.  Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? $\square$ Yes $\square$ No								
8 TYPE OF CASING USED:  Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter ft., Diameter ft.								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Grout Intervals: From	ft. to	ft., From f	t. to	ft., From	ft. to	ft.		
Nearest source of possible contamination: No potential source of contamination within 200 ft.								
□ Septic Tank       □ Lateral Lines       □ Pit Privy       □ Livestock Pens       □ Insecticide Storage         □ Sewer Lines       □ Cess Pool       □ Sewage Lagoon       □ Fuel Storage       □ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify)								
Direction from well?								
10 FROM TO	LITHOLO	GIC LOG	FROM	TO LI	THO. LOG (cont.) or	PLUGGING INTERVALS		
			Notes:					
11 CONTDACTODE OD I ANDOWNED'S CEDTIFICATION. This worker well was Described to the second se								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No								
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.  KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html  KSA 82a-1212								