

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number			
County: <u>SEDGWICK</u>		NW 1/4 NW 1/4 NW 1/4		6		T 26 S		R 1 E <u>EW</u>			
Distance and direction from nearest town or city street address of well if located within city? <u>7726 North Meridian</u> <u>Valley Center, KS.</u>											
2 WATER WELL OWNER: <u>Gerald Burge</u> RR#, St. Address, Box # : <u>7726 North Meridian</u> City, State, ZIP Code : <u>Valley Center, KS.</u> Board of Agriculture, Division of Water Resources Application Number:											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>33</u> ft. ELEVATION: <u>15</u> ft.									
		Depth(s) Groundwater Encountered 1. <u>15</u> ft. 2. <u>15</u> ft. 3. <u>15</u> ft. WELL'S STATIC WATER LEVEL <u>15</u> ft. below land surface measured on mo/day/yr <u>3-21-90</u> Pump test data: Well water was <u>15</u> ft. after <u>15</u> hours pumping <u>15</u> gpm Est. Yield <u>15</u> gpm: Well water was <u>15</u> ft. after <u>15</u> hours pumping <u>15</u> gpm Bore Hole Diameter <u>11</u> in. to <u>11</u> ft., and <u>11</u> in. to <u>11</u> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>✓</u> No <u>✓</u> ; If yes, mo/day/yr sample was submitted <u>15</u> Water Well Disinfected? Yes <u>✓</u> No <u>✓</u>									
		5 TYPE OF BLANK CASING USED:									
		1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>✓</u> Clamped <u>✓</u> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u>✓</u> 7 Fiberglass SDR-26 Threaded <u>✓</u>									
		Blank casing diameter <u>5</u> in. to <u>24</u> ft., Dia. <u>24</u> in. to <u>24</u> ft., Dia. <u>24</u> in. to <u>24</u> ft. Casing height above land surface <u>12</u> in., weight <u>2.29</u> lbs./ft. Wall thickness or gauge No. <u>214</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) <u>11</u> 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) <u>10</u> SCREEN-PERFORATED INTERVALS: From <u>24</u> ft. to <u>34</u> ft., From <u>24</u> ft. to <u>34</u> ft., From <u>24</u> ft. to <u>34</u> ft. GRAVEL PACK INTERVALS: From <u>24</u> ft. to <u>34</u> ft., From <u>24</u> ft. to <u>34</u> ft., From <u>24</u> ft. to <u>34</u> ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From <u>4</u> ft. to <u>24</u> ft., From <u>24</u> ft. to <u>24</u> ft., From <u>24</u> ft. to <u>24</u> ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <u>South</u> How many feet? <u>45</u>											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
0		3		Topsoil							
3		11		Clay							
11		23		Fine Sand							
23		33		Medium Sand							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3-21-90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>236</u> This Water Well Record was completed on (mo/day/yr) <u>4-30-90</u> under the business name of <u>Harp Well & Pump Service, Inc.</u> by (signature) <u>Mary Arnold</u>											