

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: SEDGWICK		SE 1/4 NE 1/4		6		T 26 S		R 1E E/W	
Distance and direction from nearest town or city street address of well if located within city?									
1/2 So. of 77th No. on West Side of Seneca. Wichita, Kansas									
2 WATER WELL OWNER:		Herbert Timmerkamp							
RR#, St. Address, Box # :		% North East Nursing Home, 21 & Oliver							
City, State, ZIP Code :		Wichita, Kansas							
		Board of Agriculture, Division of Water Resources							
		Application Number:							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 50 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. 17 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 17 ft. below land surface measured on mo/day/yr 1-13-83							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 11 in. to ft., and in. to ft.							
		WELL WATER TO BE USED AS:							
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well							
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....X.....; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes X No							
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped							
1 Steel 3 <u>RMP (SR)</u>		6 Asbestos-Cement 9 Other (specify below) Welded							
2 PVC 4 ABS		7 Fiberglass Threaded							
Blank casing diameter 5 in. to 25 ft. Dia		Cer-Mac Styrene SDR-26 203							
Casing height above land surface 12 in., weight 1.59 lbs./ft.		Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement							
1 Steel 3 Stainless steel 5 Fiberglass 8 <u>RMP (SR)</u> 11 Other (specify)		12 None used (open hole)							
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS									
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole)							
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS:		From 25 ft. to 50 ft., From ft. to ft.							
GRAVEL PACK INTERVALS:		From 10 ft. to 50 ft., From ft. to ft.							
6 GROUT MATERIAL:		1 Neat cement 2 <u>Cement grout</u> 3 Bentonite 4 Other							
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination: None Apparent		10 Livestock pens 14 Abandoned water well							
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		12 Fertilizer storage 16 Other (specify below)							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 13 Insecticide storage									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard									
Direction from well?		How many feet?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG			
0	3	Topsoil							
3	13	Clay							
13	23	Fine Sand							
23	46	Medium Sand							
46	50	Gray Shale							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-14-83 and this record is true to the best of my knowledge and belief Kansas									
Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 3-30-83									
under the business name of <u>Harp Well & Pump Service, Inc.</u> by (signature) <u>M. Arnold</u>									
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.									

OFFICE USE ONLY

26

H

GM

SEC

6

SE

1/4

NE

1/4

NW

1/4

NW

1/4