USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

NE SE SE NE						Topeka, Kansas 66620			
	County	ction			Section number		Township number Range number		
1. Location of well:	Sedgwick	1/4	Se 1/4 Mg	= : 1/4	7		т 26 s	R 1E	E/W
Street address of well location if in city: 6705 North Seneca R.R. or s				ner of well: r street: state, zip code:		Frank Gillmore 6705 North Seneca Wichiata, Kansas			
Locate with "X"	in section below:	Wichita, Sketch map:	Kansas	City, s	From 0 2 18 26 32	To 2 18 26 32 45	6. Bore hole dia. 11 in Well depth 45t. 7 Cable tool X Rotary Hollow rod Jetted 8. Use: X Domestic P Irrigation A Lawn C 9. Casing: Materis Lyre Threaded Welded g1 RMP X PVC Dia. 5 in. to 45 ft. dep Dia in. to ft. dep 10. Screen: Manufacturer's Sunflower P Type styrene Slot/ga/ze/ 06 Set between 35 ft. Gravel pack? Yessize ro 11. Static water level: 16 ft. after ft. aft	Driven Dug Revers "Bored Revers "Bored Revers "Dily Industric Conditioning Stock "Surface 12 "Weight Doth Yall Thickness: including Stock "In the gage No. 20 "In the gage No. 30 "In the gage	se rotary ustry ck her ddw in. lbs./ft. bes or 77 g.p.m. g.p.m. g.p.m. (day/yr.
							15. Well grouted? <u>yes</u> With: Neat cement Depth: From 40 ¹¹ ft. to 16. Nearest source of possible ft. 90 Direction Well disinfected upon completion 17. Pump: Manufacturer's name Model number	Bentonite X Co 14 ft. e contamination: Sep North Type Tan	oncrete otic ok No
(Use a second sheet if needed)						Length of drop pipe Type: Submersible Jet Centrifugal	ft. copacity g Turbine Reciproce Other		
Topography: Hill Slope Upland Valley	^{19. Remorks:} Flat Gr Pump to be ins		a later	date	•		20. Water well contractor's of This well was drilled under mis true to the best of my know Harp Well & Business name Wichita Signed Withorized rep	y jurisdiction and this reveledge and belief. Pump 236 Licen Kansas	eport