		ATER WELL RECORD F	orm WWC-5 KSA 82		
LOCATION OF WATER WEL			Section Numbe	•	
ounty: SEDGWICK	SE SE	1/4 SE 1/4 NI	E 1/4 7	T 26	S R 1 E E/W
stance and direction from nea	rest town or city?		Street address of well 6601 N. Seneca	, Wichita, Ks.	
WATER WELL OWNER:	Clifford Pe			_	=
R#, St. Address, Box # :				Board of Agric Application Nu	ulture, Division of Water Resource
	Wichita, Ks		1 in to		in. to
DEPTH OF COMPLETED W	ا		8 Air conditioning	11 Injecti	
1 Domestic 3 Feedlot		ater supply	-	12 Other	
2 Irrigation 4 Industrial	7 Lawn and	garden only	10 Observation well		
ell's static water level					day 8.0 yea
mp Test Data				hours pumping	gpi
t. Yield gpi TYPE OF BLANK CASING I	m: Well water wa		8 Concrete tile	Casing Joint	s: Glued X . Clamped
	RMP (SR)	-	9 Other (specify below	ow)	Welded
2 PVC 4 A					Threaded
	in. to 3	5 ft., Dia	in. to	ft., Dia	in. to
					gauge No 200
PE OF SCREEN OR PERFO	PRATION MATERIAL		7 PVC	10 Asbesto	
1 Steel 3 S	Stainless steel		8 RMP (SR)	11 Other (	specify)
	Galvanized steel	6 Concrete tile	9 ABS		sed (open hole)
reen or Perforation Openings			d wrapped	8 Saw cut .06	11 None (open hole)
1 Continuous slot			rapped	9 Drilled holes	
2 Louvered shutter					
					ft. to
een-Perforated Intervals:	From	)	.) π., From .		ft. to
		ft. to			ft. to
	From	π. το			IL. IO
COOLIT MATERIAL:	Most coment				
		2 Cement grout	3 Bentonite	4 Other	
outed Intervals: From4	0!' ft. to 1	2 Cement grout	3 Bentonite	4 Other ft., From	ft. to
outed Intervals: From4 nat is the nearest source of p	0!'fl. to1 possible contamination	2 Cement grout .4 ft., From	3 Bentonite 4	Other ft., From	ft. to
outed Intervals: From4 nat is the nearest source of p 1 Septic tank	0!! ft. to1 possible contamination 4 Cess pool	2 Cement grout 4 ft., From 7 Sewage lagoo	3 Bentonite 6 ft. to 10 Fue	4 Other ft., From 1 storage tilizer storage	
outed Intervals: From4 nat is the nearest source of p  1 Septic tank 2 Sewer lines	0.1	2 Cement grout  4	3 Bentonite ft. to 10 Fue on 11 Fer 12 Inse	ft., From I storage tilizer storage acticide storage	ft. to
outed Intervals: From	0.1	2 Cement grout  4 ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen	3 Bentonite  ft. to  10 Fue on  11 Fer  12 Inse s  13 Wat	4 Other	ft. to
outed Intervals: From4 nat is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines rection from wellWa	0.1	2 Cement grout  4 ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pend  How many feet 5	3 Bentonite  10 Fue on 11 Fer 12 Inse s 13 Wat 66 ? Wate	4 Other	ft. to
outed Intervals: From4  hat is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines rection from wellWe as a chemical/bacteriological	O!! ft. to 1  cossible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st	2 Cement grout 4	3 Bentonite	ft., From	ft. to
touted Intervals: From	O!! ft. to 1  cossible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st	2 Cement grout 4 ft., From 7 Sewage lagoo 8 Feed yard 9 Livestock pendow many feet	3 Bentonite	tother  ft., From  storage  ctilizer storage  cticide storage  certight sewer lines  er Well Disinfected? Yes  No	ft. to
outed Intervals: From4 hat is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines rection from well	O!! ft. to 1 possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st sample submitted to month ime. Customer	2 Cement grout 4 ft., From 7 Sewage lagoo 8 Feed yard 9 Livestock pendow many feet	3 Bentonite	ft., From  It., From	ft. to
nat is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines rection from well	O!! ft. to 1 possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st sample submitted to month me. Customer .i.	2 Cement grout 4 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pendow many feet	3 Bentonite	ft., From  I storage  Itilizer storage  Intercipe storage  Itertight sewer lines  Intercipe storage  Intercipe stor	ft. to
outed Intervals: From4 nat is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines rection from well	O!! ft. to 1  cossible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st tsample submitted tomonth me. Customer .i  Submersible	2 Cement grout  4 ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fer  12 Inse  5 13 Wate  6 ? Wate	ft., From  If storage Itilizer storage Itilizer storage Itertight sewer lines If Well Disinfected? Yes Itel Itel Itel Itel Itel Itel Itel Itel	ft. to
outed Intervals: From4 nat is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines rection from well	O!! ft to 1  cossible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st sample submitted tomonth me Customer Submersible OWNER'S CERTIFIC	2 Cement grout  4 ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pend How many feet	3 Bentonite ft. to 10 Fue on 11 Fer 12 Inse s 13 Wat 6 ? Wate	ft., From  It., From	ft. to  14 Abandoned water well  15 Oil well/Gas well  16 Other (specify below)  s X No If yes, date samp No
outed Intervals: From	O"	2 Cement grout  4 ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pendow many feet	3 Bentonite  ft. to  10 Fue  11 Fer  12 Inse  s 13 Wate  6 ? Wate	ft., From  It., From	ft. to
natis the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines rection from well	O!! ft. to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st ft. sample submitted to month ime. Customer .:  Submersible OWNER'S CERTIFIC 9. est of my knowledge	2 Cement grout  4 ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pendow many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  5 13 Wate  6 ? Wate	ft., From  It., From	ft. to
nat is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines 3 cection from well	O!! ft. to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st the sample submitted tomonth me. Customer  Submersible  OWNER'S CERTIFIC 9. est of my knowledge impleted on	2 Cement grout 4 ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pendow many feet 5 Department? Yes day ft.  Linstalled own pump  2 Turbine 3 CATION: This water well was month 4 and belief. Kansas Water Well was month 5	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	ft., From  It., From	ft. to
outed Intervals: From	O!! ft. to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st sample submitted to month me Customer Submersible OWNER'S CERTIFIC 9. est of my knowledge month 1	2 Cement grout  4 ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	the officer of the original of the original officer officer of the original officer of	ft. to
puted Intervals: From	O!! ft to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st sample submitted to month me Customer Submersible OWNER'S CERTIFIC 9. est of my knowledge mpleted on Timp Serv , Ir N FROM TO	2 Cement grout  4 ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pendow many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	the officer of the original of the original officer officer of the original officer of	ft. to
at is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines section from well	O!! ft to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st sample submitted to month me Customer if Submersible OWNER'S CERTIFIC est of my knowledge mpleted on Imp Serv , IT N FROM TO 0 2	2 Cement grout  4 ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pendow many feet	3 Bentonite  10 Fue 11 Fer 12 Inse s 13 Wat 6 ? Wate	the officer of the original of the original officer officer of the original officer of	ft. to
puted Intervals: From	O!! ft to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st sample submitted to month me Customer if Submersible OWNER'S CERTIFIC est of my knowledge mpleted on Imp Serv , IT N FROM TO 0 2	2 Cement grout  4 ft. From  7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  10 Fue 11 Fer 12 Inse s 13 Wat 6 ? Wate	the officer of the original of the original officer officer of the original officer of	ft. to
puted Intervals: From	O" ft to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st	2 Cement grout  4 ft. From  7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  s 13 Wate  16? Wate  18 Model No.  Pumps Capacity rated a  3 Jet 4 Cel  18 (1) constructed, (2) re  19 day  19 cell Contractor's License onth.  19 (signature)  19 FRO	the officer of the original of the original officer officer of the original officer of	ft. to
at is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines ection from well	O" ft to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st	2 Cement grout  4 ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	the officer of the original of the original officer officer of the original officer of	ft. to
at is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines ection from well	O!! ft to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st ft sample submitted tomonth	2 Cement grout  4 ft., From  7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	the officer of the original of the original officer officer of the original officer of	ft. to
at is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines ection from well	O" ft to 1  cossible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st	2 Cement grout 4 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	the officer of the original of the original officer officer of the original officer of	ft. to
at is the nearest source of p  1 Septic tank 2 Sewer lines 3 Lateral lines ection from well	O" ft to 1  cossible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st	2 Cement grout 4 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	the officer of the original of the original officer officer of the original officer of	ft. to
puted Intervals: From	O" ft to 1  cossible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st	2 Cement grout 4 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	the officer of the original of the original officer officer of the original officer of	ft. to
outed Intervals: From	O" ft to 1  cossible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st	2 Cement grout 4 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	the officer of the original of the original officer officer of the original officer of	ft. to
puted Intervals: From	O" ft to 1  cossible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st	2 Cement grout 4 ft., From 7 Sewage lagor 8 Feed yard 9 Livestock pend How many feet	3 Bentonite  ft. to  10 Fue  11 Fen  12 Inse  13 Wate  16	the officer of the original of the original officer officer of the original officer of	ft. to
outed Intervals: From	O!! ft. to 1  possible contamination 4 Cess pool 5 Seepage pit 6 Pit privy st sample submitted to month me Customer Submersible OWNER'S CERTIFIC 9 est of my knowledge mpleted on Tump Serv , Ir N FROM TO 0 2 9 13 13 23 21 30 30 45	2 Cement grout  4 ft. From  7 Sewage lagor 8 Feed yard 9 Livestock pendow many feet	3 Bentonite  ft. to  10 Fue  11 Fer  12 Inse  13 Wate  16	ft., From  It., From	ft. to