1 LOCATION OF W	ATER WELL:	FRACTION	Water Well Reco	rd Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number	
Sedg	wick ^	W SW 1/4	SE 1/4	NW 1/4	7	1	1.5	
SECIONICK NW SW 1/4 SE 1/4 NW 1/4 7 T 26 S R 1E Distance and direction frem nearest town or city street address of well if located within city?							R IE E/W	
1914 Evanston Valley Center, Kansas								
2 WATER WELL OWNER: LEE, Allen								
RR#, ST. ADRESS, BOX#: 1914 Evanston Board of Agriculture, Divivsion of Water Resource								
CITY, STATE, ZIP CODE: Valley Center, Kansas Application Number:								
3 LOCATE WELL'S	DEPTH OF COM		30	30 ft. ELEVATION:				
AN "X" IN SECTION	ON BOX:	Depth(s) groundwa	ater Encountered	1	ft.	2 ft.	3 ft.	
		WELL'S STATIC W	ATER LEVEL 1	6 FT.	BELOW LAND SUR	FACE MEASURED ON mo/day/yr	10/05/1993	
Pump test data: Well water was ft. after hours pumping gpm								
Est Vield gnm: Well water was & offer house average								
l ig w X	- $ -$	Bore Hole Diameter	12 in.	to 30	ft.,	and in.	to ft.	
		WELL WATER TO H		5 Public water		3 Air conditioning 11 I	njection well	
lsw	sæ	1 Domestic	3 Feedlot	6 Oil field wa		9	Other (Specify below)	
		2 Irrigation	4 Industrial	7 Lawn and g		0 Monitoring well		
	S	Was a chemical/bacte	riological sample s	ubmitted to De	-		10/day/yr sample was	
submitted Water Well Disinfected? Yes X No								
1 Steel	3 RMP (SR)		5 Wrought iron 6 Asbestos-Ceme		Concrete tile Other (Specify bel		lued X Clamped	
2 PVC	4 ABS		7 Fiberglass	-	DR-26		veided Threaded	
Blank casing Diar		in. to 24	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height abo	•		weight 2			Wall thickness or gauge No.	.214	
	EN OR PERFORAT			_	PVC	10 Asbestos-ceme		
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS						12 None used (open hole)		
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wr						8 Saw cut	11 None (open hole)	
1 Continous slot	3 Mill slot	t	6 Wir	e wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 24 ft. to 30 ft., From ft. to								
from			t. to	ft., From	ft. to	ft.		
GRAVEL PACK INTERVALS: from 24			, f	t. to 30	ft., From	ft. to	ft.	
from ft. to					ft., From ft. to ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout					ntonite	4 Other		
			ft., From	ft.		ft., From	ft. to ft.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy					10 Livestock pens 14 Abandon water well 11 Fuel storage 15 Oil well/Gas well			
			8 Sewage lag	0011	15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below)			
13 Insecticide storage						other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard How many feet? 75								
					FROM TO PLUGGING INTERVALS			
0 2	topsoil							
2 10	silty sam							
10 30	medium to	o coarse s	and					
	<u> </u>							
							de la constantina della consta	
					-	1 1/11		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No								
Under the business name of Harp Well & Pump Service, Inc. by (signature)								
836 Under the business name of marp								