LIOCA	TION OF WA	TED WELL.		FRACTION	Water Well	Record Fo	orm WWC-5	KSA 82a-1212				
1	Sedgy		NW		SE 1/4	BTLI	.,,	Section Number	Township Number	,	Range Number	
Distance						NW	1/4	7	T 26 s	R	1E <sub>E/W</sub>	
Distance and direction from nearest town or city street address of well if located within city?  1800 Evanston Rio Vista Estates, 3rd Add., Lot 8, Blk 1 Wichita, Kansas												
1800 Evanston Rio Vista Estates, 3rd Add., Lot 8, Blk 1 Wichita, Kansas  2 WATER WELL OWNER: WILBUR, Ted												
RR#,	ST. ADRESS,			Clare	nce				Board of Agricult	ure, Divivsion of	Water Resource	
СПУ	, STATE, ZIP			, Kansa					Application N	umber:		
3 LOCA	TE WELL'S 1	OCATION WITH			MPLETED WE	LL	30	ft. ELI	EVATION:			
AN "X	" IN SECTIO	N BOX:	Dep	oth(s) groundy	water Encounter	red	1	ft.	2 ft.	3	ft.	
lī			WELI	L'S STATIC V	VATER LEVEL	. 10	FT.	BELOW LAND SU	RFACE MEASURED ON mo/day/	/yr 07/	/02/1993	
	NW	NE		Pump te	st data: y	Vell water	r was	ft.	after hours	pumping	gpm	
<u> </u>		X	Est. Y		81	Well wate		ft.	after hours	pumping	gpm	
13 M	<b>-</b>	E		ole Diameter		n. to	30	ft.,	and	in. to	ft.	
				WATER TO Domestic	BE USED AS: 3 Feediot		iblic water il field wat			11 Injection	well pecify below)	
	sw	SiE	_	rrigation	4 Industrial				10 Monitoring well	12 Outer (Sp	ectly below)	
					eriological sam		_	•	No X ; If yo	es. mo/dav/vi	r samnle was	
		S	subm		criological sain	ріс завін	ica to De	-		es <b>X</b>	No No	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped												
1 Stee	ı	3 RMP (SR)			6 Asbestos-C	Cement		Other (Specify b	elow)	Welded	•	
2 PVC	2	4 ABS			7 Fiberglass		SI	DR-26		Threaded	1	
	sing Diam		in.	to 24	ft., Di		in.	to	ft., Dia i	in. to	ft.	
Casing helght above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214												
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)												
`` "												
12 None used (open note)											one (open hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hol 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes											(-••	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)												
SCREEN-PERFORATION INTERVALS: from 24 ft. to 30 ft., From ft. to ft.												
1				from	•	ft. to	30	ft., Fron		to	ft.	
	GRAVI	EL PACK INTER	VALS:	from 2	4	ft. to	30	ft., Fron	•	. to	ft.	
Ц	<del>*************************************</del>			from		ft. to		ft., Fron		to	ft.	
<del></del>	UT MAT		cement	2.0	Cement grout		3 Ben	tonite	4 Other			
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to												
What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines					7 Di4	4		10 Livesto	-	14 Abandon water well		
					7 Pit pr	•		11 Fuel st		15 Oil well/Gas well 16 Other (specify below)		
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit					· ·	8 Sewage lagoon 9 Feedyard			12 Fertilizer storage 13 Insecticide storage		ne Apparent	
	n from we	-	age pit		) recuy	11 U			How many feet?	ne App	arent	
FROM	то		LITHO	LOGIC LOG			FROM	то	PLUGGING IN	TERVALS		
	2	topsoil										
	10	sandy cl										
10	30	medium t	to c	oarse s	sand							
<u> </u>												
									to the way			
								-				
									- LATER AND ADDRESS OF THE ADDRESS O			
						<u> </u>						
						$\perp$		1				
<b></b>								<u> </u>				
7 CON	TRACTO	R'S or landowne	R'S CERT	IFICATION: Th	is water well v	vas (1) <u>cc</u>	onstructe	d, (2) reconstru	ucted, or (3) plugged und	er my jurisc	liction and	
was co	mpleted	on (mo/day/year	)	07/29/	1993	and	this reco	ord is true to th	ne best of my knowledge	and belief.	Kansas Water	
Well Contractor's License No												
615	aic pusili	ces name ofM	mm <b>≧</b> f			AT T. AT. 196.	m.j#\#	by (sign	lane	Fredi	erick	