

1 LOCATION OF WATER WELL		Fraction # BB	Section Number	Township Number	Range Number		
County: Sedwick		SW 1/4 NW 1/4 SE 1/4	B	T 26 S	R 1E EW		
Distance and direction from nearest town or city? 1 1/2 mi. W. Park City			Street address of well if located within city?				
2 WATER WELL OWNER: Wilson Laboratories							
RR#, St. Address, Box #: 528 N. 9th			Board of Agriculture, Division of Water Resources				
City, State, ZIP Code: Salina Kans 67401			Application Number:				
3 DEPTH OF COMPLETED WELL: 30 ft. Bore Hole Diameter: 9 in. to 30 ft., and ... in. to ... ft.							
Well Water to be used as:							
1 Domestic		3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well		
2 Irrigation		4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)		
		7 Lawn and garden only	10. <u>Observation well</u> # BB				
Well's static water level: 17 ft. below land surface measured on Nov. month 7 day 1980 year							
Pump Test Data: Well water was ND ft. after 1/2 hours pumping 10 gpm							
Est. Yield ND gpm: Well water was ... ft. after ... hours pumping ... gpm							
4 TYPE OF BLANK CASING USED:							
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: <u>Glued</u> ... Clamped ...		
2 <u>PVC</u>		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded ...		
			7 Fiberglass		Threaded ...		
Blank casing dia: 6 in. to 10 ft., Dia ... in. to ... ft., Dia ... in. to ... ft.							
Casing height above land surface: 12 in., weight ... lbs./ft. Wall thickness or gauge No SDR 26							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement		
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)		
					12 None used (open hole)		
Screen or Perforation Openings Are:							
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 <u>Saw cut</u>	11 None (open hole)		
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes			
			7 Torch cut	10 Other (specify)			
Screen-Perforation Dia: 6 in. to 30 ft., Dia ... in. to ... ft., Dia ... in. to ... ft.							
Screen-Perforated Intervals: From 10 ft. to 30 ft., From ... ft. to ... ft., From ... ft. to ... ft.							
Gravel Pack Intervals: From 10 ft. to 30 ft., From ... ft. to ... ft., From ... ft. to ... ft.							
5 GROUT MATERIAL:							
1 Neat cement		2 Cement grout	3 <u>Bentonite</u>	4 Other			
Grouted Intervals: From 0 ft. to 10 ft., From ... ft. to ... ft., From ... ft. to ... ft.							
What is the nearest source of possible contamination:							
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well		
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well		
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 <u>Other</u> (specify below)		
				13 Watertight sewer lines	oil pipe line		
Direction from well: ND How many feet: ND ? Water Well Disinfected? Yes ... No X							
Was a chemical/bacteriological sample submitted to Department? Yes ... No X If yes, date sample was submitted ... month ... day ... year							
If Yes: Pump Manufacturer's name ... Model No. ... HP ... Volts ...							
Depth of Pump Intake ... ft. Pumps Capacity rated at ... gal./min.							
Type of pump:							
1 Submersible		2 Turbine	3 Jet	4 Centrifugal	5 Reciprocating		
					6 Other		
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on Nov. month 7 day 1980 year							
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 126							
This Water Well Record was completed on Nov. month 13 day 1980 year under the business name of Hydraulic Drilling Co by (signature) O. J. Fent							
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	12	Clay, gray-brown			
		12	30	Sand & gravel			
ELEVATION:							
Depth(s) Groundwater Encountered 1. 17 ft. 2. ... ft. 3. ... ft. 4. ... ft. (Use a second sheet if needed)							

OFFICE USE ONLY

T

96

R

1

CW

SEC

8

SW 1/4 NW 1/4 SE 1/4