1 LOC	ATION OF WA	TER WELL:	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212 Section Number	Township Number	Range Number	
Sedgwick			SW 1/4 S	W 1/4	16		117		
Distance					1/4	10	т 26 s	R IE EW	
Distance and direction from nearest town or city street address of well if located within city? 5454 N. Broadway Wichita, Kansas									
	TERWELL C			i, Kansas					
	ST. ADRESS,		ER, Walt				Roard of Agriculture. I	livivsion of Water Resource	
RRW, ST. ADRESS, BOX#: 5454 N. Broadway CITY, STATE, ZIP CODE: Wichita, Kansas						Application Number:			
		OCATION WITH 4							
200.	" IN SECTION	OCATION WITH	Depth(s) groundwa		1	ft.	2 ft.	3 ft.	
l t		- 	VELL'S STATIC W.				URFACE MEASURED ON mo/day/yr	03/18/1994	
			Pump test		ater was	ft.	after hours pun		
l '	NW	NE	st. Yield		vater was	ft.	after hours pun	. 0	
y <u>M</u>		1 i 1 1	ore Hole Diameter		to 40	ft.	and in.	to ft.	
∑ v	′	1 ! [2]	VELL WATER TO E		Public wate			Injection well	
١.			1 Domestic		6 Oil field wa		•	Other (Specify below)	
	sw		2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was								no/day/yr sample was	
S submitted Water Well Disinfected? Yes X No									
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded							-		
2 PV	C	4 ABS		7 Fiberglass	S	DR-26	1	Threaded	
Blank c	 asing Diam	eter 5 i	n. to 20	ft., Dia	in.	to	ft. Dia in.	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214									
TYPE	OF SCREE	N OR PERFORATION		J	7	PVC	10 As bestos-cem	ent	
1 Ste	el	3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specif	y)	
2 Bra	188	4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (o	pen hole)	
1 .		RFORATION OPEN	ING ARE:	5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)	
1 Cont	inous slot	3 Mill slot		6 Wire	wrapped		9 Drilled holes		
2 Louv	ered shutte	r 4 Key pun	ched	7 Torch	cut		10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 20 ft. to 40 ft., From ft. to ft.									
l			from	ft.	to	ft., Fro	m ft. to	ft.	
GRAVEL PACK INTERVALS: from 20				= - '		ft., Fro		ft.	
c len	NITTO BEATT	EDIAL 1 Neet cor	from 2.6		to 2 D-	ft., Fro		n.	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 4 ft. to 20 ft. From ft. to ft.									
Grout Intervals: From 4 ft. to 20 ft. From ft. to ft. From ft. to What is the nearest source of possible contamination: 10 Livestock pens 14 Abandon water									
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel s	4	Oil well/Gas well		
2 Sew	2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Ferti		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent							` • •		
Direction from well? How many feet?									
FROM			THOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
0	2	sandy top	soil	·					
2	20	sandy cla							
20	35	medium to	coarse s	and					
35	40	blue shal	.е	W					
						1			
	ļ								
	 					_			
				7.0.400	1	_	30		
						1			
	-	· · ·			1	1			
	-				 				
 					 			, 440-5-44 - 449-44	
-	+				+	+ +			
ļ					+				
	<u> </u>				1		<u> </u>		
	NTRACTO	R'S OR LANDOWNER'S	CERTIFICATION: Thi	s water well was (1) construct	ed, (2) reconst	ructed, or (3) plugged under t	ny jurisdiction and	
Was C	was completed on (mo/day/year)								
AAGII		'e Licanes No	236	Thic Watar 14/-11 📭	200rd 11/00 -	ampletad as 4	moldaylyr) [14.71]	4/94	
Inde	contractor the busin	's License No less name of Hat	236 Cp Well &	This Water Well Re Pump Servi	cord was c	ompleted on (i	mo/day/yr)	4.7.3.4	
Unde	the busin	's License No ness name of H.A.X	cp Well &	This Water Well Re PumpServ.	cord was c LCE.,I)	ompleted on (i I.C by (sig	nature)	rederick	