1 LOCATION OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number
Sedgwick	SW 1/4	SE 1/4 S	W 1/4	17	T 26 s	R 1E FAW
Distance and direction frem nearest town or city street address of well if located within city?						
5450 N. Armstrong Wichita, Kansas						
2 WATER WELL OWNER: CAPITAL FEDERAL SAVINGS						
RR#, ST. ADRESS, BOX#: 301 N. Main, 400 Epic Center Board of Agriculture, Divivsion of Water Resource						
CITY, STATE, ZIP CODE: Wichita, Kansas olyaged Application Number:						
3 LOCATE WELL'S LOCATION WITH		TLETED WELL	28	ft. ELE	VATION:	
AN "X" IN SECTION BOX:	Depth(s) groundw	•	1	ft.	2 ft.	3 ft.
	WELL'S STATIC W	ATER LEVEL 14	FT	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	09/17/1992
NWNE	Pump tes	t data: Well w	ater was	ft. a	ıfter hours pum	
	Est. Yield	gpm: Well w	ater was		after hours pum	
w w	Bore Hole Diameter	in. 1	to	ft.,	and in.	to ft.
I William I	WELL WATER TO	E USED AS: 5	Public wate	r supply 5	8 Air conditioning 11 I	njection well
	1 Domestic		Oil field wa	ter supply	Dewatering 12 O	Other (Specify below)
	2 Irrigation	4 Industrial 7	Lawn and g	garden only 1	0 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample w						o/day/yr sample was
	****	Water Well Disinfected? Yes 🗶 No				
5 TYPE OF CASING USED:		5 Wrought iron		Concrete tile		lued Clamped
1 Steel 3 RMP (SR)		6 Asbestos-Cement	t 9	Other (Specify be	•	/elded
2 PVC 4 ABS		7 Fiberglass			T	hreaded
Blank casing Diameter 1 1/4 Casing height above land surface	_fine to	ft., Dia	in.		ft., Dia in.	to ft.
TYPE OF SCREEN OR PERFOR	5 ft. in.,	weight	-	lbs. / ft. V / PVC	Wall thickness or gauge No. 10 Asbestos-ceme	ent
1 Steel 3 Stainless Stee		5 Fiberglass		RMP (SR)	11 other (specify	
2 Brass 4 Galvanized st		6 Concrete tile		ABS	12 None used (op	
SCREEN OR PERFORATION OF	5 Gauzed wrapped			8 Saw cut 11 None (open hole)		
1 Continues slot 3 Mill slot		6 Wire wrapped			9 Drilled holes	(1
2 Louvered shutter 4 Key punched		7 Torch cut			10 Other (specify)	
SCREEN-PERFORATION INTERVALS: from		ft. to		0 E		ft.
	from			ft., From	ft. to	
GRAVEL PACK INTERVALS: from		ft. to ft. to		ft., From ft., From	ft. to	ft.
	from	ft.		ft., From		ft. ft.
6 GROUT MATERIAL: 1 Nea		ement grout		ntonite	4 Other	
Grout Intervals: From O ft. to 6		ft., From ft. to		to	ft., From	ft. to ft.
What is the nearest source of possible contamination:				10 Livestoc		bandon water well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel sto	rage 15 C	Dil well/Gas well
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertiliz	100	Other (specify below)
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage		
Direction form well? How many feet?						
FROM TO LITHOLOGIC LOG			FROM	ТО	PLUGGING INTER	VALS
			0		ement grout	- 1
			6		entonite hole chlorinated sand	
			16	28 0	miorinated San	1 and graver
			<u> </u>			
			_			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)						
Well Contractor's License No. 23.6 This Water Well Record was completed on (mo/day/yr)						
Under the business name of Harp Well & Pump Service, Inc. by (signature) and Ancherical						
136					//	_