WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| County | Fraction | Section n | umber | Township number | Range number | |
|---|-------------------------------|---------------------|----------------|---|---------------------|----------|
| 1. Location of well: | NESEASE VANE | 1/4 / | 7 | 3 26 s | R / | E/W |
| 2. Distance and direction from learest town | or city: | 3. Owner of well: | <u>S</u> | am Da | * Rex | |
| 2. Distance and direction from hearest town or city: Street address of well location if in city: | | | | | | |
| A Least with DVB to realize below | | City, state, zip co | ode: Z | | . Completion date — | es |
| 4. Locate with "X" in section below: N | Sketch map: 🔪 | | l | Well depth 50 ft. | 2-27- | 76 |
| l t | | | Ī | 7 Cable tool X Rotary | | |
| NW NE | | | - | Hollow rod Jetted | | e rotary |
| | | | | 8. Use: Domestic Public supply Industry Irrigation Air conditioning Stock | | |
| | | | | Lawn Oil field water Other | | |
| | | | | 9. Casing: Material IIII Height Above or below | | |
| | | | | Threaded Welded GL Surface in. RMP PVC Weight lbs./ft. | | |
| 11 Mile | | | | Dia. 5 in. to 50 ft. depth Wall Thickness: inches or | | |
| 5. Type and color of material | | From | То | Dia in. to ft. dep | | |
| 1 | | | | 10. Streen: Manufacturer's | s plas | 22 |
| Japsail . | | 0 | 6 | Type Itype M | 5 // 5 // | |
| Clay | | 6 | 13 | Sloff gauze 40 | 2 Length | ft. |
| midican) | Sand | 13 | 10 | it. | | -1/0 11 |
| all | ina | | 2 / | Gravel pack Size ro | inge of material | day/yr. |
| clay | 1 | 29 | 33 | 17 ft. below land sui | | 7-76 |
| medium Sa | nd | 37 | 48 | 12. Pumping level below land | | |
| May - | | 118 | 50 | ft. after | | 3.p.m. |
| cay | | - 70 | | Estimated maximum yield — | | g.p.m. |
| | | | | 13. Water sample submitted: Yes No | mo./c | day/yr. |
| | | | <u> </u> | 14. Well head completion: | Capp | sed |
| | | | | Pitless adapter | 12 Inches above gr | ade |
| | | | | 15. Well grouted? | | h. |
| | | | | Depth; From to | # ft. | |
| | | | | 16. Negrest source of possibl | - ' | tte S |
| | | | | Well disinfected upon comple | ~ | No |
| | | | | 17. Pump: | Not installed | |
| | | | | Manufacturer's name | HP Volts | ı` |
| | | | | Length of drop pipe | | 1 1 |
| | | | | Type: Submersible | Turbine | |
| | | | | Jet | Reciproce | ating \ |
| · · · · · · · · · · · · · · · · · · · | Use a second sheet if needed) | | | Centrifugal | Other | — ;'∼ |
| 1 | | | | 20. Water well contractor's of This well was drilled under m | | eport |
| | | | | is true to the best of my know | . / | 21-11 |
| Topography: | | | | Business name ! | Kump, 2. | 26/3/2 |
| Slope | | | | Address LL LLL | J Faris | as si |
| Upland Signed Valley Signed Authorized representative Date | | | | | | 3/2 |
| Valley | | | | 7011011204 Tep | | <u> </u> |