


1 LOCATION OF WATER WELL: Fraction SE 1/4 SW 1/4 SE 1/4 Section Number 17 Township Number T 26 S Range Number R 1 E
County: Sedgwick
Distance and direction from nearest town or city street address of well if located within city? See Below

2 WATER WELL OWNER: VINCENT THOMPSON
RR#, St. Address, Box #: 270 W. 53RD. NO
City, State, ZIP Code: Wichita KS 67204
Board of Agriculture, Division of Water Resources
Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 43 ft. ELEVATION: 11-24-87
Depth(s) Groundwater Encountered 1. 16 ft. 2. 16 ft. 3. 16 ft.
WELL'S STATIC WATER LEVEL 16 ft. below land surface measured on mo/day/yr 11-24-87
Pump test data: Well water was 16 ft. after 1/2 hours pumping 50 gpm
Est. Yield 50 gpm: Well water was 16 ft. after 1/2 hours pumping 50 gpm
Bore Hole Diameter 9 in. to 43 ft., and 43 in. to 43 ft.
WELL WATER TO BE USED AS:
1 Domestic 1 3 Feedlot 3 6 Oil field water supply 6 9 Dewatering 9 12 Other (Specify below) 12
2 Irrigation 2 4 Industrial 4 7 Lawn and garden only 7 10 Observation well 10
5 Public water supply 5 8 Air conditioning 8 11 Injection well 11
Was a chemical/bacteriological sample submitted to Department? Yes X No X; If yes, mo/day/yr sample was submitted 11-24-87
Water Well Disinfected? Yes X No X

5 TYPE OF BLANK CASING USED:
1 Steel 1 3 RMP (SR) 3 5 Wrought iron 5 8 Concrete tile 8 CASING JOINTS: Glued X Clamped X
2 PVC 2 4 ABS 4 6 Asbestos-Cement 6 9 Other (specify below) 9 Welded X
Blank casing diameter 5 in. to 33 ft., Dia 33 in. to 33 ft., Dia 33 in. to 33 ft.
Casing height above land surface 15 in., weight 15 lbs./ft. Wall thickness or gauge No. Sch-40
TYPE OF SCREEN OR PERFORATION MATERIAL:
1 Steel 1 3 Stainless steel 3 5 Fiberglass 5 8 RMP (SR) 8 10 Asbestos-cement 10
2 Brass 2 4 Galvanized steel 4 6 Concrete tile 6 9 ABS 9 11 Other (specify) 11
12 None used (open hole) 12
SCREEN OR PERFORATION OPENINGS ARE:
1 Continuous slot 1 3 Mill slot 3 5 Gauzed wrapped 5 8 Saw cut 8 11 None (open hole) 11
2 Louvered shutter 2 4 Key punched 4 6 Wire wrapped 6 9 Drilled holes 9 10 Other (specify) 10
7 Torch cut 7 10 Other (specify) 10
SCREEN-PERFORATED INTERVALS: From 33 ft. to 43 ft., From 33 ft. to 43 ft., From 33 ft. to 43 ft.
GRAVEL PACK INTERVALS: From 20 ft. to 43 ft., From 20 ft. to 43 ft., From 20 ft. to 43 ft.

6 GROUT MATERIAL: 1 Neat cement 1 2 Cement grout 2 3 Bentonite 3 4 Other 4
Grout intervals: From 0 ft. to 20 ft., From 20 ft. to 43 ft., From 20 ft. to 43 ft., From 20 ft. to 43 ft.
What is the nearest source of possible contamination:
1 Septic tank 1 4 Lateral lines 4 7 Pit privy 7 10 Livestock pens 10 14 Abandoned water well 14
2 Sewer lines 2 5 Cess pool 5 8 Sewage lagoon 8 11 Fuel storage 11 15 Oil well/Gas well 15
3 Watertight sewer lines 3 6 Seepage pit 6 9 Feedyard 9 12 Fertilizer storage 12 16 Other (specify below) 16
13 Insecticide storage 13 NONE
Direction from well? OPEN FIELD
How many feet? OPEN FIELD

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Top soil			
2	14	CLAY			
14	20	fine SAND			
20	22	CLAY			
22	30	fine to med SAND			
30	32	CLAY			
32	43	med SAND			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-24-87 and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 318 This Water Well Record was completed on (mo/day/yr) 11-30-87
under the business name of Wenger Duller by (signature) Wenger
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.