	SW SW NE	SW WATE	R WELL RECO	ORD Form W	WC-5 KSA	82a-1212		
1 LOCATION OF WATER	R WELL:	Fraction	Resul	Marie	Section Numb		p Number	Range Number
County e 0 9	t	1/4	ddroon of well	if located within	oiby?	<u> </u>	LOS	I R / (E)N
Distance and direction	e Be	or city street at	, adiess of Meii	ii located within	City!			
2 WATER WELL OWN	RAP	Alles	<u> </u>					
RR#, St. Address, Box #	# 5626	4 11. 0	iems to	CON6		Board	of Agriculture.	Division of Water Resource
City, State, ZIP Code		WICH	ITA		204		ation Number:	
3 LOCATE WELL'S LOC	CATION WITH 4	DEPTH OF C	OMPLETED W	11 -	ft. ELE			
H AN "X" IN SECTION I			water Encount	ered 1	<i>P</i>	ft. 2	ft.	3 <u>.</u>
ī						surface measure		
	- NIE							umping 🕰 😥 gpm
		st. Yield 7.	C. gpm: V	Vell water was	f	t. after	hours p	umping gpm
• W X		ore Hole Diame	eter	in. to	.4.2	ft., and		n. to
i	! W	ELL WATER T	🔾 BE ÚSÉD A	AS: 5 Public	water supply	8 Air conditio	ning 11	Injection well
sw	_ SE /	1 Domestic	🄰 3 Feedl		eld water supply			Other (Specify below)
	i 11	2 irrigation	4 Indus		•	y 10 Monitoring	1 2	
			oacteriological:	sample submitted				s, mo/day/yr sample was sul
E TYPE OF BLANK CA		itted	E Meaught is			Water Well Disinf		·
5 TYPE OF BLANK CA	3 RMP (SR)		5 Wrought in 6 Asbestos-0	_	Concrete tile Other (specify be			ed Clamped
2 PVC	4 ABS		7 Fiberglass	Jennent 5 (other (specify br	510 W)		aded
Blank casing diameter		to . 3.1	7 ft., Dia		in. to		· · · ·	
Casing height above land			•	2.6	_	bs./ft. Wall thickne		IC A MILLIO
TYPE OF SCREEN OR		, —	, 3		7 PVC		Asbestos-cem	•
1 Steel	3 Stainless st	teel	5 Fiberglass	()	8 RMP (SR)	11	Other (specify)
2 Brass	4 Galvanized	steel	6 Concrete ti	ile	9 ABS	12	None used (o	pen hole)
SCREEN OR PERFORA	TION OPENINGS	ARE:		5 Gauzed wrap	ped	8 Saw cut		11 None (open hole)
1 Continuous slot	3 Mill s	slot		6 Wire wrapped		9 Drilled ho	les	
2 Louvered shutter		punched 2	/_	7 Torch cut) _			
SCREEN-PERFORATED	INTERVALS:	From •	4 2	ft. to		_		to
GRAVEL PACK	/ INTEDVALC:	From	//-	ft. to	·	=rom		toft.
GRAVEL PACE	INTERVALS.	From	·Ø·····	ft. to 	,	From	ft.	toft.
6 GROUT MATERIAL:	1 Neat cerr		2 Cement gro	ut 3	Bentonite			
Grout Intervals: From.	_	1/		n			n	
What is the nearest sour	ce of possible cor	ntamination:			10 Li	vestock pens	14 /	Abandoned water well
1 Septic tarik	4 Lateral I	ines	7 Pit p	orivy	. 11 Fu	uel storage	15 (Dil well/Gas well
2 Sewer lines	5 Cess po	ool	8 Sew	age lagoon	12 Fe	ertilizer storage	16 (Other (specify-below)
3 Watertight sewer	Seepage Seepage	e pit_	9 Fee	dyard	13 ln	secticide storage	<u>,</u>	
Direction from well?	EAS	7				many feet?		
FROM TO	<i>*</i> -	<u>LITHOLOGIC</u>	LOG	FRO	OM TO		PLUGGING	INTERVALS
0 2	10 p S	-01/						
	0/10							
2 14 0	1199	•						
	1.						, e. š	
14 28	148 SM	nd.				<u> </u>	•	
28 29 C	IMU							
	\sim Z							
29 42	TRAV	E].						
	/	<u>-</u>						
			· · · · · · · · · · · · · · · · · · ·			-		
								
 						1		
		CERTIFICATI	ON: This wate	r well was (1) co				der my jurisdiction and was
completed on (mo/day/ye						, ,		nowledge and belief. Kansas
Water Well Contractor's I	// //3	a	A: This	Water Well Reco		ed on (mo/day/yr)		· · · · · · · · · · · · · · · · · · ·
under the business name		rgus d	me	, ,		gnature)	7 =	
INSTRUCTIONS: Use type of Health and Environment	writer or ball point pen. t, Bureau of Water. Tot	. PLEASE PRESS F beka, Kansas 66620	- <i>IHMLY</i> and <i>PRINT</i> 0-7320. Telephone:	clearly. Please fill in 913-296-5545. Send	one to WATER WEL	circle the correct answer. L OWNER and retain	ers. Send top three	copies to Kansas Department
C							7	