1 LOCATION OF WATER WELL:	FRACTION 61	E SW SE NE	7	Section Number	Township Number	Range Number	
Sedgwick	<b>N</b> 1/4	- 3W JE NE - 1/4 - <b>8</b> /	<b>E</b> 1/4	18	_		
Distance and direction frem nearest town or ci			D 1/4	10	т 26 s	R 1E EW	
	NE, Elizabe				Board of Agriculture, D	lvivsion of Water Resource	
CITY STATE SID CORE. STILL SHALL SHA							
3 LOCATE WELL'S LOCATION WITH		APLETED WELL	24	o FIE	Application Number	n .	
AN "X" IN SECTION BOX:	Depth(s) groundw		<b>24</b> 1	ft. ELE	VATION: 2 ft.	3 ft.	
t	WELL'S STATIC W				FACE MEASURED ON mo/day/yr	3 ft. 07/08/1992	
	Pump tes		ater was		_	_•	
NWNE	Est. Yield		ater was		ifter hours pum after hours pum		
	Bore Hole Diameter		0	ft.,	and in.	ping gpm to ft.	
W X E	WELL WATER TO	S III V	O Public water			njection well	
1. 1 ! 1 - 1	1 Domestic		Oil field wat	•••		Other (Specify below)	
SW SE	2 Irrigation		Lawn and g		0 Monitoring well	(-1)	
		riological sample sub	_	-	J	o/day/yr sample was	
S	submitted	riologicai sample sub	induced to De	-	****	X No	
5 TYPE OF CASING USED:		5 Wrought iron		Concrete tile		lued Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cement		Other (Specify be		/elded	
2 PVC 4 ABS		7 Fiberglass		outer (speerly be	,	hreaded	
Blank casing Diameter 1 1 / A	in. to	o .		40	_		
Casing height above land surface	or a 01 .	, - <u></u> -	in.	to lbs. / ft. V	ft. , Dia in. Vall thickness or gauge No.	to ft.	
TYPE OF SCREEN OR PERFORA	TION MATERIAL:	weight	7	PVC	10 Asbestos-ceme	ent	
1 Steel 3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify	<u> </u>	
2 Brass 4 Galvanized stee	el	6 Concrete tile		ABS	1.		
				ADS	12 None used (op 8 Saw cut	,	
SCREEN OR PERFORATION OPP 1 Continous slot 3 Mill al		5 Gauzed wrapped					
J Min slot		6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key p		7 Torch cut		10 Other (specify)			
SCREEN-PERFORATION INTERVALS: from		ft. to		ft., From	ft. to	ft.	
from		ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from		ft. to		ft., From	ft. to	ft.	
	from	ft. 1		ft., From		ft.	
6 GROUT MATERIAL: 1 Neat		ement grout	3 Ben	tonite	4 Other		
Grout Intervals: From 0 ft. to 5		ft., From ft. to			ft., From	ft. to ft.	
What is the nearest source of possible contamination:				10 Livestoc		bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel sto	130	oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoo	12 741			Other (specify below)	
3 Watertight sewer lines 6 Seep	9 Feedyard	•					
Direction form well?  How many feet?							
FROM TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTER	VALS	
			0		ement grout	-1	
			5		entonite hole		
			15	24 0	hlorinated san	a and graver	
				<del>                                     </del>			
				<del></del>			
				<del> </del>			
			,				
				<del>                                     </del>			
				ļ	144		
7 CONTRACTOR'S OR LANDOWNER	R'S CERTIFICATION: Thi	s water well was (1)	constructe	d. (2) reconstru	cted. or (3) plugged under m	v iurisdiction and	
was completed on (mo/day/year)							
Well Contractor's License No23.5							
Town Well C Summ County Town							
Under the business name of ARTO MELL & Pump SELVICE							