

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sedgwick</u>		<u>NE 1/4 NW 1/4 NE 1/4</u>	<u>18</u>	<u>T 26 S</u>	<u>R 10 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>5930 Fairfield Wichita KS</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # : <u>Sid Watkins</u> <u>3911 NO ST Clair</u>		Application Number:			
City, State, ZIP Code : <u>WICHITA 67204</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>42</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>19</u> ft. 2. <u>19 1/2</u> ft. 3. <u>10-13-90</u> ft.			
		WELL'S STATIC WATER LEVEL <u>19</u> ft. below land surface measured on mo/day/yr <u>10-13-90</u>			
		Pump test data: Well water was <u>19 1/2</u> ft. after <u>12</u> hours pumping <u>20</u> gpm			
		Est. Yield <u>50</u> gpm: Well water was <u>19 1/2</u> ft. after <u>12</u> hours pumping <u>20</u> gpm			
		Bore Hole Diameter <u>11</u> in. to <u>42</u> ft. and <u>42</u> in. to <u>42</u> ft.			
		WELL WATER TO BE USED AS:			
		<input checked="" type="checkbox"/> 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) <input type="checkbox"/> 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted <u>10-13-90</u>			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped <u>X</u>			
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile <input checked="" type="checkbox"/> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)		Welded <u>X</u> Threaded <u>X</u>			
Blank casing diameter <u>5</u> in. to <u>32</u> ft., Dia <u>12</u> in. to <u>60</u> ft., Dia <u>160</u> in. to <u>160</u> ft.		Casing height above land surface <u>12</u> in., weight <u>2.60</u> lbs./ft. Wall thickness or gauge No. <u>160</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		11 Other (specify) <u>160</u> 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut 11 None (open hole)			
1 Continuous slot <input checked="" type="checkbox"/> 3 Mill slot 6 Wire wrapped 2 Louvered shutter 4 Key punched 7 Torch cut		9 Drilled holes 10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From <u>32</u> ft. to <u>42</u> ft., From <u>42</u> ft. to <u>42</u> ft.			
GRAVEL PACK INTERVALS:		From <u>20</u> ft. to <u>42</u> ft., From <u>42</u> ft. to <u>42</u> ft.			
6 GROUT MATERIAL:		3 Bentonite 4 Other			
1 Neat cement 2 Cement grout		Grout Intervals: From <u>3</u> ft. to <u>20</u> ft., From <u>20</u> ft. to <u>42</u> ft., From <u>42</u> ft. to <u>42</u> ft.			
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
<input checked="" type="checkbox"/> 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well <input type="checkbox"/> 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) <input type="checkbox"/> 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage		How many feet? <u>120</u>			
Direction from well? <u>North</u>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>2</u>	<u>Top so.</u>			
<u>2</u>	<u>17</u>	<u>Clay</u>			
<u>17</u>	<u>29</u>	<u>fine sand</u>			
<u>29</u>	<u>30</u>	<u>Clay</u>			
<u>30</u>	<u>42</u>	<u>SAND</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10-13-90</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>318</u> This Water Well Record was completed on (mo/day/yr) <u>11-12-90</u> under the business name of <u>Weninger Dulle</u> by (signature) <u>[Signature]</u>					