LOCATION OF WA			WELL RECORD	Form WWC-	5 KSA 82a					
SEDGV			NW NW SE		ction Number	Township	•		nge Nun	^
unity.		2007 1/4	24N 1/4 3	1/4	18	т 26	<u> </u>	<u> R</u>	1 E	(E)W_
	n from nearest town o	•		•						
726 North I			ita, Kansa	<u>s</u>						
WATER WELL O	WNER:	John Born	1							
#, St. Address, Bo	ox # :	5726 Nort	h Delaware			Board of	Agriculture, [Division o	f Water	Resourc
, State, ZIP Code	:	Wichita,	Kansas			Applicati	on Number:			
	LOCATION WITH 4	DEPTH OF COM	IPLETED WELL							
sing height above PE OF SCREEN 0 1 Steel 2 Brass	CASING USED: 3 RMP (SR) 4 ABS 75in. land surface DR PERFORATION M 3 Stainless sta 4 Galvanized surfaces	Pump te t. Yield	3 Feedlot 4 Industrial teriological sample Wrought iron Asbestos-Cement Fiberglass . ft., Dia , weight Fiberglass Concrete tile 5 Gau	ter was 5 Public wat 6 Oil field wa 7 Lawn and submitted to E 8 Conce 9 Other	ft. af Wat fer supply garden only 1 fepartment? Ye Wat fete tile (specify below ft. Af	ter	hours pu hou	mping to	well becify be No Clamped	gpr
 Continuous si 	ot 3 Mill sl	ot	6 Wire	wrapped		9 Drilled holes	S			
2 Louvered shu	tter 4 Key p	unched	30 ^{7 Toro}	h cut 45		10 Other (spec	ify)			
REEN-PERFORAT	ED INTERVALS:	From	ft. to .	45	ft From	1	ft. to	5		
		From	ft to							
GRAVEL PA	ACK INTERVALS:	From	24 ft. to .		ft., Fron	1	ft. to	o o		ft ft
	ACK INTERVALS:	From	24 ft. to . ft. to	45	ft., Fron ft., Fron ft., Fron	1	ft. to	o o o		ft ft ft
GROUT MATERIA	ACK INTERVALS: L: 1 Neat ceme	From 2 (24 ft. to . ft. to Cement grout	3 Bente	ft., Fronft., Fron ft., Fron	1	ft. to	o o o		
GROUT MATERIA out Intervals: Fro	ACK INTERVALS: L: 1 Neat ceme om 4 ft. f	From 2 (24 ft. to . ft. to Cement grout	3 Bente	ft., Fronft., Fron ft., Fron	1	ft. to	o o o		
GROUT MATERIA out Intervals: Fro	ACK INTERVALS: L: 1 Neat ceme	From 2 (24 ft. to . ft. to Cement grout	3 Bente	ft., Fronft., Fron ft., Fron	on	ft. to	o		
GROUT MATERIA out Intervals: Fro	ACK INTERVALS: L: 1 Neat ceme om 4 ft. f	From	24 ft. to . ft. to Cement grout	3 Bente	ft., Fronft., Fron ft., Fron onite 4 (n	ft. to	o	water v	
GROUT MATERIA out Intervals: Fro at is the nearest s	ACK INTERVALS: L: 1 Neat ceme om 4 ft. 1 cource of possible con 4 Lateral lin	From 2 (to 24	24 ft. to	3 Bento ft.	ft., From ft., From ft., From onite 10 Livest 11 Fuel s	n	ft. to ft	oo.	water w	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: 1 Neat cemer 2	From	24 ft. to ft. to ft. to ft. to ft. ft. ft., From 7 Pit privy 8 Sewage lag	3 Bento ft.	ft., Fron ft., Fron nite 4 (to	Other	14 Al	o	water was well	
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	ACK INTERVALS: L: 1 Neat ceme om 4 ft. 1 cource of possible con 4 Lateral lin	From	24 ft. to	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	ft. to ft	o	water was well	
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	ACK INTERVALS: L: 1 Neat cemerom4ft. for the course of possible conducted 4 Lateral ling 5 Cess poower lines 6 Seepage	From	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	ACK INTERVALS: L: 1 Neat cemerom 4	From	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al	o	water was well	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	L: 1 Neat ceme om 4	From	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 3	L: 1 Neat ceme om 4ft. 1 cource of possible con 4 Lateral lin 5 Cess poo wer lines 6 Seepage Topsoil Clay	From	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 6 24	L: 1 Neat ceme om 4 ft. 1 cource of possible con 4 Lateral lin 5 Cess poc wer lines 6 Seepage L Topsoil Clay Fine San	From	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 6 24 4 30	L: 1 Neat ceme om 4ft. 1 cource of possible con 4 Lateral lin 5 Cess poo wer lines 6 Seepage Topsoil Clay	From	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 6 24 4 30	L: 1 Neat ceme om 4 ft. 1 cource of possible con 4 Lateral lin 5 Cess poc wer lines 6 Seepage L Topsoil Clay Fine San	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 6 24 4 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 6 24 4 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severation from well? ROM TO 3 6 24 4 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severation from well? ROM TO 3 6 24 4 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severation from well? ROM TO 3 6 24 4 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 6 24 4 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 6 24 4 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 3 6 6 7 24 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water was well	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 3 6 6 7 24 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water water was well	
GROUT MATERIA but Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 6 24 4 30	ACK INTERVALS: L: 1 Neat cemerom 4	From 2 (fro	24 ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., Fron ft., Fron onite 4 (to	Other	14 Al 15 O	o	water water was well	
GROUT MATERIA Dut Intervals: Fro tat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 1 3 3 6 24 30 60 45 CONTRACTOR'S Topleted on (mo/day)	ACK INTERVALS: L: 1 Neat cemerom 4	From	24ft. to ft. to ft. to ft. to ft. to ft. to ft. ft. ft., From	3 Bento ft.	tt., Fron ft., F	Dither	ft. to ft	or the top of the control of the con	water vs well cify below	f
GROUT MATERIA Out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 6 24 4 30 60 45 CONTRACTOR'S appleted on (mo/day ater Well Contractor ater the business na	ACK INTERVALS: L: 1 Neat ceme om 4	From	24ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard G This water well was a control of the control	3 Bento ft. Goon FROM Was (1) constru	tt., Fron ft., Fron ft., Fron ft., Fron nite 4 (to	other	plugged undoest of my knows 3-3	er my jur	water was well cify below cent	w) and wa
GROUT MATERIA Dut Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 3 6 5 24 24 30 30 45 CONTRACTOR'S Inpleted on (mo/day ter Well Contractor der the business na	ACK INTERVALS: L: 1 Neat cemerom 4	From	24ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage lag 9 Feedyard G This water well vThis Water v Pump Servi	3 Bento ft. 3 Bento ft. 3 Bento ft. 45 Coon FROM Vas (1) construction for the coord was (1) construction for the coord was ce, Inc.	tt., Fron tt., F	obther	plugged undoest of my known answers. Sen	er my jur by location of the control of the contro	isdiction and believed to copies to	and wa