USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 820-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Section number		Township number	Range number		
1. Location of well:			18		11		$\alpha$	
	sedawerk!	NW 1/4 NE/4 NE/4	/	0	1 6 S	B	<b>€</b> /W	
2 Distance and direc	ction from marrest town or city:		ner of wel	1. 5	24 111 7/21	Courte		
2. 5.5.0	13200		r street:	- (	The Lift	Jones	<i>:</i> /	
Street address of well	location if in city:		-		south,	Sucara	را . ا <sup>ب</sup>	
	Wiche	in Hunsus	tate, zip	code:	victa	Hans	as	
4. Locate with "X" i	in section below:	Sketch map:			6. Bore hole dia in	. Completion date -		
N	l				Well depthft.	<u>//-3-</u>	76	
					7 Cable tool _ Rotary	Driven Dug	_	
	i^							
NW	NE				Hollow rod Jetted	BoredRev	erse rotary	
	; 1				8. Use: Domestic Po	ublic supply li	ndustry	
w i					Irrigation A	ir conditioning S	tock	
	i				Lown O	il field <sub>s</sub> water (	Other	
sw	SE				9. Casing: Material	24 teight: Above or	below	
					Threaded Welded Welded 12 in.			
					RMP PVC Weightlbs./ft.			
1 M					Dia. 5 in. to 45ft. dep			
			Т.	Т	Dia in. to ft. dep		200	
5. Type and color of	material		From	То		111 19096 110.		
a .	-		+	$\vdash$	10. Steen: Manufacturer's r		121	
Topson	e		0	]⊋	· Mixenel	751	,	
10	****				Туре	_ Dia	JF.	
V Var			13	9	Slot/Jauze	_ Length	7	
July 1	1			/	Set between	.ft. and		
dry di	im) Sand.		1	-14	Gravel pack : Lastze ra	- 17	<del>4-1/3</del> /	′/
1	COLD PROPERTY		17	57		nge of material	<del>/ / 9</del>	
1 lnu			14	27	11. Static water level:	mo	o./day/yr.	
in the second			4.7	1007	ft. below land sur	face Date	5-16	
and Jin	m / Sand		22	45	12. Pumping level below land	surfaces:		
o care	110 2000		<u> </u>	/_	ft. after	nrs. pumping	g.p.m.	
<u> </u>					ft. after l	nrs.pumping	g.p.m.	
			+		Estimated maximum yield		g.p.m.	
			İ		13. Water sample submitted:	mo	./day/yr.	
			<del> </del>	<del> </del>		Date	· · · ·	
			i		14. Well head completion:			
			1		Pitless adapter	12 Inches above	arada	
			1			/ Inches above	grude	
			1		15. Well grouted?	′	<u> </u>	10 %
			1		With: Neat cement	ILL .	Concrete _	<u>س:</u> ک
			1		Depth: From to	<del>77</del> ft.		6
			]		16. Negrest source of possible		pace	, 10
			1		ft. 50 Direction A		anne	
					Well disinfected upon comple	tion? Yes	No	1
					17. Pump:	Not istalled	] ,	
					Manufacturer's name	v-Kitt	<u>/ </u>  ``	
					Model number 2004 D	23023/4 Va	1123d	1~
					Length of drop pipe 35	ft. capacity	<b>⊉</b> g.p.m.	<(™)
					Туре:	•	- '	V
					Submersible	Turbin	ie	
					Jet	Recipr	ocating	
	(Use a second s	heet if needed)			Centrifugal	Other	§	07
18. Elevotion:	19. Remorks: 40 a + V	4			20. Water well contractor's o	ertification:	"	$\perp V$
					This well was drilled under m		s report	•
					is true to the best of my know	'' / 1		9
Topography:					160015	L. L.	) 221 S	7613
Hill					Business namel	- Jurige	cense NA	11
Slope					Address Wilhita	), Kans	as	161
Stope					m/11	204.		1/2
Valley				ŀ	Signed Authorized rep	resentative M Date	13-7/	:   ' (l
, —— Yuney					• · · · · · · · · · · · · · · · · · · ·			- 1 '