T		****	WELL RECO	110	rm WWC-5	NOA OZA	-1212				
LOCATION OF WATER WEL			NE 14	NW		Number	Township T 26		1	Number E	
istance and direction from near			NE W		Street address	of well if	located within c	ity?	<u> </u>		<u></u>
					2000 W.	60th	St. No.	, Wichi	ta, Ks.		
WATER WELL OWNER:			. 37								
R#, St. Address, Box # :	Wichita,	Ks.					Applicati	on Number:	Division of W		
DEPTH OF COMPLETED V	VELL40.	ft. Bor	e Hole Diame	ter 1.	1 in. to		ft., and .		. in. to : .		
Vell Water to be used as:		lic water sur			8 Air condition			Injection well			
1 Domestic 3 Feedlot		field water s		9	9 Dewatering	•	12	Other (Speci	fy below)		
2 Irrigation 4 Industrial	_7 Law	n and garde	en only	10	0 Observation	well					
Vell's static water level	1.5 ft. I	below land s	surface measi	red on	. 	mo	onth	2 5	day	80 .	. yea
Pump Test Data							hours pumping			• • • • • •	gpı gpı
st. Yield gr				t. after			hours pumping				
TYPE OF BLANK CASING			_		8 Concrete		Casing				
1 Steel 3 2 PVC 4			6 Asbestos-C 7 Fiberglass	ement	9 Other (sp	•	•		led aded		
= · · · •			•				4 Dia	-			
Blank casing dia											
Casing height above land surfa			ın., weigl	и	7 PVC	· · · · · IDS		ss or gauge sbestos-cem		,u	
	Stainless steel		5 Fiberalace		8 RMP	(SR)			anı 		
	Galvanized stee		6 Concrete ti		9 ABS	(0/1)		lone used (or			
Screen or Perforation Openings		. .		5 Gauzed v			8 Saw cut	· · · · · · ·	•	pen hol	e)
1 Continuous slot				6 Wire wra	• •	-	9 Drilled hole	•	** ******	, po	٠,
	4 Key pun	ched		7 Torch cu	• •		10 Other (spec				
	5in. to						ft., Dia				
Screen-Perforated Intervals:	From	20	ft. to	40	ft.,	From					
Undiated interface.	From				· · · · · · · · · · · · · · · · · · ·						
Gravel Pack Intervals:	From										
araror rack miloritate.					,						
	From		ft. to		ft						
GROUT MATERIAL	From Neat cement	2				From	Other	ft. to			
	1 Neat cement	1.4	Cement grou	ıt	3 Bentonite	From 4	Other	ft. to	ft. to		
Grouted Intervals: From4	1 Neat cement 0.11/ft. to	1.4.	Cement grou	ıt	3 Bentonite	From 4	Other ft., Fror	ft. to	ft. to		
Grouted Intervals: From4 What is the nearest source of	1 Neat cement 0.11/ft. to possible contan	1.4.	Cement grou	<u>ut</u> m	3 Bentonite	From 4 5 10 Fuel	Other	ft. to n	ft. to bandoned wa	 ater well	
Grouted Intervals: From4	1 Neat cement 0.11/ft. to	nination:	Cement grou	ut m	3 Bentonite	From 4 0	Other ft., Fror	ft. to n 14 A 15 C	ft. to	ater well ell	<i>.</i>
Grouted Intervals: From 4 What is the nearest source of a 1 Septic tank	1 Neat cement 0.11 /ft to possible contant 4 Cess pool	nination:	Cement grown ft., From 7 Sew 8 Feed	ut mage lagoon i yard	3 Bentonite	From 4 10 Fuel: 11 Fertili 12 Insec	Other ft., Fror storage zer storage	ft. to 14 A 15 C	bandoned wa bil well/Gas wo other (specify	ater well rell below)	
Grouted Intervals: From 4 What is the nearest source of a 1 Septic tank 2 Sewer lines 3 Lateral lines	1 Neat cement 0."/ft. to possible contan 4 Cess pool 5 Seepage pit 6 Pit privy	nination:	7 Sew 8 Feed 9 Lives	ut mage lagoon l yard stock pens	3 Bentonite	From 4 10 Fuel: 11 Fertili 12 Insec 13 Wate	Other ft., Fror storage zer storage ticide storage tight sewer line	ft. to 14 A 15 C 16 C	bandoned wa bil well/Gas w other (specify	ater well rell below)	
Grouted Intervals: From 4 What is the nearest source of 1 Septic tank 2 Sewer lines	1 Neat cement O."/nt. to possible contan 4 Cess pool 5 Seepage pit 6 Pit privy utheast	1.4. nination:	7 Sew 8 Feed 9 Live	age lagoon I yard stock pens	3 Bentonite	From 4 10 Fuel 11 Fertili 12 Insec 13 Water ? Water	Other	ft. to 14 A 15 C 16 C s 17 Yes X	ft. to bandoned wa bil well/Gas w other (specify	ater well rell below)	
Grouted Intervals: From 4 What is the nearest source of a 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well S.o. Was a chemical/bacteriological	1 Neat cement O."/ft. to possible contan 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submit	nination: How mated to Depar	7 Sew 8 Feed 9 Liver	age lagoon i yard stock pens	3 Bentonite	From 4 10 Fuel 11 Fertili 12 Insec 13 Wate	Other ft., From storage zer storage ticide storage tight sewer line well Disinfected	ff. to 14 A 15 C 16 C s 17 Yes X	ft. to bandoned wa bil well/Gas w other (specifyNo	ater well rell below)	amp
Arouted Intervals: From	1 Neat cement O." /ft. to possible contan 4 Cess pool 5 Seepage pit 6 Pit privy u.t.heast sample submit	1.4. hination: How maked to Depar	7 Sew 8 Fee 9 Live: nany feet tment? Yes day	age lagoon d yard stock pens 5,0	3 Bentonito	From 4 10 Fuel 11 Fertili 12 Insec 13 Wate ? Water	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected de Yes	ff. to 14 A 15 C 16 C s 1? Yes X	ft. to bandoned wa bil well/Gas w bther (specify No If yes	ater well rell below)	amp
Grouted Intervals: From 4 What is the nearest source of a septic tank 2 Sewer lines 3 Lateral lines Direction from well	1 Neat cement O." /ft. to possible contan 4 Cess pool 5 Seepage pit 6 Pit privy utheast sample submitmonth.	1.4. hination: How maked to Depar	7 Sew 8 Feed 9 Live: nany feet	age lagoon yard stock pens 5.0	3 Bentonite	From 4 10 Fuel 11 Fertili 12 Insec 13 Water	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes X	ft. to bandoned wa bil well/Gas w bther (specify No If yes No X Volts	ater well rell below)	amp
Arouted Intervals: From	1 Neat cement O." /ft. to possible contan 4 Cess pool 5 Seepage pit 6 Pit privy utheast sample submitmonth.	nination: How maked to Department	7 Sew 8 Feed 9 Live: nany feet	age lagoon d yard stock pens 5.0 M ft. P	3 Bentonite	From 4 10 Fuel 11 Fertili 12 Insec 13 Water . No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes X	ft. to	ater well rell below)	amp
Arouted Intervals: From	1 Neat cement O."/ft. to possible contan 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame	nination: How maked to Department	7 Sew 8 Feed 9 Live nany feet tment? Yesday	age lagoon d yard stock pens 5.0 M ft. P	3 Bentonite ft. to year: Pur Model No Pumps Capacit Jet	From 4 10 Fuel 11 Fertili 12 Insec 13 Water	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes X Reciprocatir	ft. to	pater well below) s, date s	al./m
Grouted Intervals: From	1 Neat cement O." /ft. to possible contan 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	14. nination: How maked to Department	7 Sew 8 Feed 9 Live nany feet tment? Yesday	age lagoon d yard stock pens 5.0 M ft. P 3 r well was	3 Bentonite ft. to year: Put Model No Pumps Capacit Jet (1) constructe	From 4 10 Fuel 11 Fertili 12 Insec 13 Wate 2 Water Nomp Installe 2 y rated at 4 Cent ed, (2) rece	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected Yes	ff. to 14 A 15 C 16 C s 17 Yes X Reciprocatir plugged un	ft. to	pater well below) s, date s	amp
Grouted Intervals: From	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	1.4. hination: How many ted to Department of the Department o	7 Sew 8 Feed 9 Live: nany feet thment? Yes	age lagoon d yard stock pens 5.0 M ft. P ar well was	3 Bentonite	From 4 10 Fuel 11 Fertili 12 Insec 13 Wate 2 Water No mp Installe 4 Cent ed, (2) reco day License No	Other	ff. to 14 A 15 C 16 C s 1? Yes X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	pater well below) s, date s	amp
Grouted Intervals: From	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	1.4. hination: How many ted to Department of the Department o	7 Sew 8 Feed 9 Live: nany feet thment? Yes	age lagoon d yard stock pens 5.0 M ft. P ar well was	3 Bentonite	From 4 10 Fuel 11 Fertili 12 Insec 13 Wate 2 Water No mp Installe 4 Cent ed, (2) reco day License No	Other	ff. to 14 A 15 C 16 C s 1? Yes X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	ater well below) s, date s ga 6 Other	al./m
Arouted Intervals: From	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	1.4. nination: How many ted to Department of the Department of th	7 Sew 8 Feed 9 Live: nany feet thment? Yesday urbine N: This wate month elief. Kansas	age lagoon d yard stock pens 5.0 M ft. P gr well was water Well mon	3 Bentonite	From 4 10 Fuel 11 Fertili 12 Insec 13 Wate 2 Water No mp Installe 4 Cent ed, (2) reco day License No	Other	ft. to 14 A 15 C 16 C s 17 Yes X Reciprocatir 1) plugged un 8 0 2 3 6	ft. to	ater well below) s, date s ga 6 Other	al./m
A What is the nearest source of a Septic tank 2 Sewer lines 3 Lateral lines Direction from well So Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's near the second of Pump Intake If Yes: Pump Manufacturer's near the second of Pump Intake If Yes: Pump Manufacturer's near the second of Pump Intake If Yes: Pump Manufacturer's near the second is true to the best of the second of the second was contained in the second of the second of the second was contained in the second of the	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE 7 est of my know ompleted on r p We11 DN FROM	14. hination: How many ted to Department of the	7 Sew 8 Feed 9 Live nany feet treent? Yesday urbine N: This wate month elief. Kansas	age lagoon d yard stock pens 5.0 M ft. P water Well mon by THOLOGIC	3 Bentonite	From 4 10 Fuel 11 Fertili 12 Insec 13 Wate 2 Water No mp Installe 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
Grouted Intervals: From	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submit month ame Submersible DOWNER'S CE 7 est of my know ompleted on r p We11 DN FROM N O	14. nination: How mated to Department of the De	7 Sew 8 Feet 9 Live nany feet day urbine N: This wate month elief. Kansas	age lagoon d yard stock pens 5.0 M ft. P water Well mon by THOLOGIC 1	3 Bentonite	10 Fuel 11 Fertili 12 Insec 13 Water Portili 12 Water No purp Installe vy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
Armonic of the control of the contro	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	14. nination: How many ted to Department of the	7 Sew 8 Feed 9 Live nany feet day urbine N: This wate month elief. Kansas // Topsoi Sandy	age lagoon d yard stock pens 5.0 M ft. P 3 r well was mon by HOLOGIC 1 C1ay	3 Bentonite	10 Fuel 11 Fertili 12 Insec 13 Water Portili 12 Water No purp Installe vy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
A What is the nearest source of a Septic tank 2 Sewer lines 3 Lateral lines Direction from well Source source of the second	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submit month ame Submersible DOWNER'S CE 7 est of my know ompleted on r p We11 DN FROM N O	14. nination: How mated to Department of the De	7 Sew 8 Feet 9 Live nany feet day urbine N: This wate month elief. Kansas	age lagoon d yard stock pens 5.0 M ft. P 3 r well was mon by HOLOGIC 1 C1ay	3 Bentonite	10 Fuel 11 Fertili 12 Insec 13 Water Portili 12 Water No purp Installe vy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
A What is the nearest source of a Septic tank 2 Sewer lines 3 Lateral lines Direction from well S.o. Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's national population of Pump Intake Type of pump: 1 CONTRACTOR'S OR LAND completed on This Water Well Record was contained of Hair Control of Hair Contr	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	14. nination: How many ted to Department of the	Cement ground ft., From the first fr	age lagoon d yard stock pens 5.0 M ft. P 3 or well was won by THOLOGIC 1 Clay Sand	3 Bentonite	10 Fuel 11 Fertili 12 Insec 13 Water Water No mp Installe cy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
Arouted Intervals: From	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	2 TRTIFICATIO Ledge and b & Pump TO 2 15 21	Cement ground ft., From the first fr	age lagoon d yard stock pens 5.0 M ft. P 3 or well was won by THOLOGIC 1 Clay Sand	3 Bentonito ft. to year: Pur Model No Pumps Capacit Jet (1) constructe 2 5 I Contractor's oth (signature) LOG	10 Fuel 11 Fertili 12 Insec 13 Water Water No mp Installe cy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
A What is the nearest source of a Septic tank 2 Sewer lines 3 Lateral lines Direction from well S.o. Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's national population of Pump Intake Type of pump: 1 CONTRACTOR'S OR LAND completed on This Water Well Record was contained of Hair Control of Hair Contr	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	2 TRTIFICATIO Ledge and b & Pump TO 2 15 21	Cement ground ft., From the first fr	age lagoon d yard stock pens 5.0 M ft. P 3 or well was won by THOLOGIC 1 Clay Sand	3 Bentonito ft. to year: Pur Model No Pumps Capacit Jet (1) constructe 2 5 I Contractor's oth (signature) LOG	10 Fuel 11 Fertili 12 Insec 13 Water Water No mp Installe cy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
Grouted Intervals: From	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	2 TRTIFICATIO Ledge and b & Pump TO 2 15 21	Cement ground ft., From the first fr	age lagoon d yard stock pens 5.0 M ft. P 3 or well was won by THOLOGIC 1 Clay Sand	3 Bentonito ft. to year: Pur Model No Pumps Capacit Jet (1) constructe 2 5 I Contractor's oth (signature) LOG	10 Fuel 11 Fertili 12 Insec 13 Water Water No mp Installe cy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
A What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well S.o. Was a chemical/bacteriological was submitted If Yes: Pump Manufacturer's national period of Pump Intake EXECUTE: The control of the completed on Indicate the control of the control of the completed on Indicate the control of the control	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	2 TRTIFICATIO Ledge and b & Pump TO 2 15 21	Cement ground ft., From the first fr	age lagoon d yard stock pens 5.0 M ft. P 3 or well was won by THOLOGIC 1 Clay Sand	3 Bentonito ft. to year: Pur Model No Pumps Capacit Jet (1) constructe 2 5 I Contractor's oth (signature) LOG	10 Fuel 11 Fertili 12 Insec 13 Water Water No mp Installe cy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
Grouted Intervals: From	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	2 TRTIFICATIO Ledge and b & Pump TO 2 15 21	Cement ground ft., From the first fr	age lagoon d yard stock pens 5.0 M ft. P 3 or well was won by THOLOGIC 1 Clay Sand	3 Bentonito ft. to year: Pur Model No Pumps Capacit Jet (1) constructe 2 5 I Contractor's oth (signature) LOG	10 Fuel 11 Fertili 12 Insec 13 Water Water No mp Installe cy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
A What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well So Was a chemical/bacteriological was submitted Type of pump Intake CONTRACTOR'S OR LAND COMPACTOR'S OR LAND COMP	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	2 TRTIFICATIO Ledge and b & Pump TO 2 15 21	Cement ground ft., From the first fr	age lagoon d yard stock pens 5.0 M ft. P 3 or well was won by THOLOGIC 1 Clay Sand	3 Bentonito ft. to year: Pur Model No Pumps Capacit Jet (1) constructe 2 5 I Contractor's oth (signature) LOG	10 Fuel 11 Fertili 12 Insec 13 Water Water No mp Installe cy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m
Arouted Intervals: From	1 Neat cement O." /ft. to possible contain 4 Cess pool 5 Seepage pit 6 Pit privy u.theast sample submitmonth ame Submersible DOWNER'S CE	2 TRTIFICATIO Ledge and b & Pump TO 2 15 21	Cement ground ft., From the first fr	age lagoon d yard stock pens 5.0 M ft. P 3 or well was won by THOLOGIC 1 Clay Sand	3 Bentonito ft. to year: Pur Model No Pumps Capacit Jet (1) constructe 2 5 I Contractor's oth (signature) LOG	10 Fuel 11 Fertili 12 Insec 13 Water Water No mp Installe cy rated at 4 Cent ed, (2) reco day License No	Other ft., From storage zer storage ticide storage tight sewer line Well Disinfected d? Yes	ft. to 14 A 15 C 16 C s 17 Yes . X Reciprocatir b) plugged un 8 0 2 3 6	ft. to	below) s, date s Other diction ar	al./m