WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Controctors)
Topeka, Kansas 66620

| | County | Fraction | - | Section | number | Township number | Range number | |
|---|------------------|---------------------------|---|--|--------|--|------------------------------------|--------------------|
| 1. Location of well: | | Fraction | | | | | | |
| 0.011 | SEDGWICK | AVE 1/4 SE 1/4 NE | 1 | <u> </u> | 18 | T 26 S Larry Hall | R 1E | E/W |
| 2. Distance and direction from nearest town or city: 5952 Palm Lane Wichita, Kansas | | | | ner of well street: | 1: | 5952 Palm Lane | | |
| Street address of well location if in city: | | | | tate, zip | code: | Wichita, Kansas | | |
| 4. Locate with "X" in section below: Sketch map: | | | | | | 6. Bore hole dia. II in. Completion date | | |
| N | | | | | | Well depth 43 ft. | | |
| | | | | | | 7 Coble tool X Rotary | | |
| NW | NE X | | | | | Hollow rod Jetted 8. Use: Domestic P | | |
| w - | E | | | | | | Vir conditioning Stoc | |
| - i | , | | | | | X Lawn (| Oil field water Oth | er |
| [3] [| ! | | | | | 9. Casing: Mat Styren | Height: Above or be | 164 |
| . <u></u> | | | | | | Threaded Welded _g | Surface 12 | in. bs./ft. |
| 1 M | | | | | | Dia. <u>5</u> in. to <u>43</u> ft. de | pth Wall Thickness: inch | nes or |
| 5. Type and color of material | | | | From | То | Dia in. to ft. depth gage No200 | | |
| | | | | | | 10. Screen: Monufacturer's Sunflower Plas | | |
| Topsoil | | | | 0 | 3 | Typestyrene | Dig5" | |
| Clay | | | | 3 | 13 | Slot/g fute/06 Length10 ' Set between33ft. and43ft. | | |
| | | | | Ť | | ft. | and | ft. |
| Fine Sand | | | | 13 | 30 | Gravel pack? yes Size ro | ange of material $\frac{1}{2} - 1$ | /8" |
| Medium Sand | | | | 30 | 43 | 11. Static water level: | | doy/yr. |
| | | | | " | 1 | 15 ft. below land su | | |
| | | | | | | ft. after | | g.p.m. |
| | | | | | | ft. after | hrs. pumping | g.p.m. |
| | | | | | | Estimated maximum yield — 13. Water sample submitted: | | g.p.m. day/yr. |
| | | | | | - | Yes No | Date | ddy/ yr . |
| | | | | | | 14. Well head completion: capped | | |
| | | | | | | Pitless adapter | 12 Inches above gr | |
| | | | | | | 15. Well grouted? yes With: Neat cement | l-2Fine Sand | Mix |
| | | | | | | Depth: From <u>40"</u> ft. to <u>14</u> ft. | | |
| | | | | | | 16. Nearest source of possible | e contamination: Sept | tic |
| | | | | | | ft. 50 Direction Well disinfected upon comple | Last Type Tank | No |
| | | | | | | 17. Pump: | X Not installed | |
| | INC. III | | | | | Manufacturer's name | | ~ |
| | | | | | | Model number | | |
| | | | | | | Length of drop pipe Type: | rr. capacityg | .p.m. |
| | | | | | | Submersible | Turbine | |
| | (Use a second sh | eet if needed) | | | | Jet Centrifugal | Reciproco | ating S |
| 18. Elevation: | | Ground | | I | | 20. Water well contractor's | | i |
| | riat | O. Duniu | | | | This well was drilled under m | | eport |
| Topography: | | | | | | is true to the best of my know | _ | 206 |
| Hill | | | | | | Harp Well & Pu Business name | | 236 se No. |
| Slope | | | | | | | | 7209 \$ |
| Upland | | | | | | Signed Authorized rep | oresentative Date | 2-705 |
| Valley | | of Health and Environment | | | | | Form WWC | -/8 × |