

1 LOCATION OF WATER WELL:		Fraction NW NE SW NE	Section Number 18	Township Number T 26 S	Range Number R 1 E/W
County: SEDGWICK					
Distance and direction from nearest town or city street address of well if located within city? 5958 N. LEGION WICHITA KS					
2 WATER WELL OWNER: CARMAN STAUDINGER			Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #: 5958 N. LEGION			Application Number:		
City, State, ZIP Code: WICHITA, KS 67204					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 29 1/2 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 19 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 19 ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was 19 ft. after 1 hours pumping 10 gpm			
		Est. Yield 10 gpm: Well water was 19 ft. after 1 hours pumping 10 gpm			
		Bore Hole Diameter 8 in. to 10 ft., and 6 in. to 29 1/2 ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial ⑦ Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes NO ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped ② PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded					
Blank casing diameter 5 in. to 29 1/2 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 13 in., weight 200 lbs./ft. Wall thickness or gauge No. 214					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot ③ Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 22 1/2 ft. to 29 1/2 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: ① Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well ③ Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage					
Direction from well? How many feet? 10					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	6 FT.	SOIL			
6 FT.	21 FT.	SAND - SMALL			
21 FT.	29 1/2	GRAVEL - SMALL			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-28-81 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 418 This Water Well Record was completed on (mo/day/yr) 11-28-81					
under the business name of A+B WATER WELL SERVICE by (signature) <i>Ronald C. Moring</i>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATERWELL OWNER and retain one for your records.					