1 LOCA	TION OF WA		FRACTIO)N					Section Number	Township N	umber	Range Numi	ber		
Sedgwick			NE	NE	1/4	NE	1/4	SE	1/4	19	т 26		, 1E		
		frem nearest town or ci		L						<u> </u>	1 20	S	<u> </u>	E/W	
49	47 N	Seneca	W	lichi	ta I	lanca									
	TER WELL (Rober		<u>lanse</u>	45								
													vivsion of Water Reso	Aurce	
CITY	, STATE, ZIP		hita,Kansas							Application Number:					
		OCATION WITH	4 I	ДЕРТН О	F CON	1PLETE	D WELI	L .	40	ft. El	LEVATION:				
AN "X'	" IN SECTIO	N BOX:	\Box D	epth(s) gr	oundw	ater Enc	ountered	l 1	l	ft.	2	ft.	3	ft.	
[WEI	LL'S STA				15		. BELOW LAND S	SURFACE MEASUREI	ON mo/day/yr	08/14/1	.992	
1	NW	NE			mp test	data:		ll water		ft.	after	hours pumj		gpm	
				Yield		gpm:		ll water		ft.	after -	hours pum	. 0	gpm	
≝ W		T X E		Hole Dia		12 E USEI		to 5 Deci	40	ft.,	and	in. 11 T-	to njection well	ft.	
1Mile		']									8 Air conditioning 9 Dewatering	12 Other (Specify below)			
	sw	SiE		2 Irrigation 4 Industrial 7 Lawn and ga											
Was a chemical/bacteriological sample submitted to								•							
		S	submitted				Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped															
1 Stee	1	3 RMP (SR)					estos-Cei			Other (Specify	below)		/elded		
2 PVC	2	4 ABS				7 Fibe	erglass		S	DR-26		T	hreaded		
Blank ca	— ising Diam	eter 5	in.	to 30)	ft. ,	Dia		in.	to	ft., Dia	in.	to f	ft.	
		e land surface			in.,		weight	2	.35	lbs. / ft.	Wall thickness o		.214	1	
1		N OR PERFORA	TION	MATER	IAL:	f Fiber	raloss			7 PVC		Asbestos-ceme			
1 Steel 3 Stainless Steel 5 Fiberglass									8 RMP (SR) 11 other (specify)						
2 Brass 4 Galvanized steel 6 Concrete tile										9 ABS		None used (op	•		
									wrapped 8 Saw cut 11 None (open hol					a hole)	
	nous slot	3 Mill si		_			6 W	ire wraj	pped		9 Drilled ho				
1	red shutte						7 To	rch cut			10 Other (s)	ecify)			
SCREE	N-PERFO	RATION INTERV	VALS:	-102	ո 30			ft. to 4	10	ft., Fro	m	ft. to		ft.	
<u></u>				from VALS: from 24 from			ft.		t. to	ft., From ft., From ft., From		ft. to		ft.	
GRAVEL PACK INTERV									40			ft. to		ft.	
6 GRO	UT MATI	ERIAL: 1 Neat	cemer			ement g	rout	ft. to	3 Re	ntonite	4 Other	ft. to		II.	
	itervals:			to 24							ft., Fron		ft. to	ft.	
What is the nearest source of possible contamination:							riom		ft. to 10 Livestock pen			14 Abandon water well			
1 Septic tank 4 Later				ral lines			7 Pit privy			11 Fuel	storage	15 C	15 Oil well/Gas well		
2 Sewer lines 5 Cess				s pool			8 Sewage lagoon				ilizer storage			Other (specify below)	
3 Water	rtight sewe	er lines — 6 Seep	age pi	t		9	Feedyard	i		13 Insec	cticide storage				
	n form we									<u> </u>	How many				
FROM	ТО		LITH	OLOGIC	LOG				FROM	ТО	PLU	GGING INTER	<u>tVALS</u>		
	3 11	topsoil						-		-					
	22	<u>clay</u> fine sar						-		+ +					
	40	medium s						_		+		**************************************			
-	EV	megrum s	em.							1 1					
									···	1					
											······································				

													•		
	- 11	·			·										
											tructed, or (3) plu				
was co	mpleted (on (mo/day/year		08/	14/	1992	•••••	and	this red	ord is true to	the best of my kı	owledge and	belief. Kansas	Water	
Well C	ontractor	's License No		Wall		This Wa	ter Well	Record	d was c	ompleted on (mo/day/yr)	097.22	ì.l9.4	··· 0	
Unaer	tne busin	ess name otA.s	ታ ሞዜ"	ಬ.ಜ.+.+	·····•	E.WIII	······································	.Y. 44.74.75	₹./ ₼ /	₩₩ by (sig	nature)	a (HA)	2 LOPus	· #	