1 LOCA	TION OF WA	TER WELL:	FRACTION	Y	water well kee	ald For	II W W C	Section Number	Township Number	Range Number	
٢	Sedqv	vick N	E SE 1/4	NW	1/4	NW	1/4	19	т 26 s	R 1E F/W	
Distance and direction from nearest town or city street address of well if located within city?											
5225 N. Athenian Wichita, Kansas											
2 WATERWELLOWNER: MILLSPAUGH, Miles											
RR#,	ST. ADRESS,		N. Ather						Board of Agriculture, I	ivivsion of Water Resource	
	, STATE, ZIP		ta,Kansa						Application Numb	#:	
	TE WELL'S I " IN SECTIO	OCATION WITH 4 N BOX:	DEPTH OF C				40		VATION:	3 ft.	
1		N .	Depth(s) groun ELL'S STATIO				FT	ft. RELOW LAND SUR	2 ft.  FACE MEASURED ON mo/day/yr	3 ft. 03/03/1993	
	l x			walek test data:		l water			fter hours pun	•	
'		NE Est	t. Yield	gpm		ll water			after hours pun		
l w		E Bo	re Hole Diamete			to	40	ft.,	and in.	to ft.	
"			ELL WATER T	O BE USE	ED AS:	5 Pub	lic wate	er supply t		injection well	
<b>≗</b>	sw		1 Domestic	3 Fee					•	Other (Specify below)	
## #			2 Irrigation		lustrial		•	•	0 Monitoring well		
†	Was a chemical/bacteriological sample submitted to Department? Yes No 🗶 ; If yes, mo/day/yr sample was									• • •	
5 TY	PE OF CA	SING USED:	ubmitted	5 11/	141				er Well Disinfected? Yes  CASING JOINTS: (	X No Glued X Clamped	
1 Stee		3 RMP (SR)			rought iro bestos-Cen			3 Concrete tile 9 Other (Specify be	•	Nelded A Champed	
2 PVC	2	4 ABS			erglass			DR-26	,	Threaded	
Blank ca	 sing Diam	eter 5 in	. to 30	ft.	. Dia		in		ft., Dia in.	to ft.	
Casing h	neight abov	ve land surface 12	ir	h <b>,</b>	weight	2.	35		Vall thickness or gauge No.	.214	
TYPE (	OF SCREE	N OR PERFORATIO	ON MATERIAL					7 PVC	10 Asbestos-cem		
	1 Steel 3 Stainless Steel 5 Fiberglass							8 RMP (SR) 11 other (specify)			
2 Brass 4 Galvanized steel 6 Concrete tile								ABS 12 None used (open hole) 8 Saw cut 11 None (open hole)			
1	SCREEN OR PERFORATION OPENING ARE: 5 Gauzed v  1 Continuous slot 3 Mill slot 6 Wire wri						wrappeu				
	red shutte	3 Mill slot r 4 Key punc	hed				pcu		10 Other (specify)		
/ Total cut											
			from	.0		ft. to	U	ft., From ft., From	ft. to ft. to	ft.	
GRAVEL PACK INTERVALS: fr				24			10	ft., From		ft.	
<u> </u>		<u> </u>	from			ft. to		ft., From	ft, to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentomite 4 Other											
Grout Intervals: From 4 ft. to 24 ft., From What is the nearest source of possible contamination:							ft.	ft. to ft., From 10 Livestock pens		ft. to ft. Abandon water well	
1 Septic tank 4 Lateral lines						,	11 Fuel storage			15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			ol	8 Sewage lagoor			12 Fertilizer storage			16 Other (specify below)	
3 Wate	3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insectio	ide storage		
	n form we	l? West	-			_			How many feet? 85		
FROM			HOLOGIC LO	G		F	ROM	то	PLUGGING INTE	RVALS	
	3 15	topsoil		- 14		•					
	28	clay fine sand									
	40	medium san	nd								
	<b>3</b> 0	mearam sai	1144					4.01-10-20-20-20-20-20-20-20-20-20-20-20-20-20			
									MANUE PRO		
							•		112		
						+			11.4.77		
						_					
		411/18/17/17					7.		14.		
									The state of the s		
7 CON	TRACTO	R'S or landowner's o	CERTIFICATION:	This water	r well was	s (1) con	struct	ed, (2) reconstru	cted, or (3) plugged under n	ny jurisdiction and	
was completed on (mo/day/year)											
Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)											
Under	the busin	ess name ofH.A.K.	₿ <b>™¥</b> ₿₩₽₩	(X.M)	b ser	XTC 賞	X	u도 by (signa	ture(VIme) (H	nederical	