

1 LOCATION OF WATER WELL: County: Sedgely Fraction: SE 1/4 NW 1/4 SE 1/4 Section Number: 19 Township Number: T 26 S Range Number: R 1 E

Distance and direction from nearest town or city street address of well if located within city: 14749 N. Alexander Wichita KS.

2 WATER WELL OWNER: C.M. Pennington Board of Agriculture, Division of Water Resources  
 RR#, St. Address, Box #: 1420 N. 1st Avenue Application Number:  
 City, State, ZIP Code: Wichita KS 67203

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
W			

4 DEPTH OF COMPLETED WELL: 36 ft. ELEVATION: 17' 17" ft. 3. 5-25-83 ft.  
 Depth(s) Groundwater Encountered 1. 17' 17" ft. 2. 17 ft. 3. 20 ft.  
 WELL'S STATIC WATER LEVEL 17' 17" ft. below land surface measured on mo/day/yr 5-25-83  
 Pump test data: Well water was 17 ft. after 1/2 hours pumping 20 gpm  
 Est. Yield 40 gpm: Well water was 17 ft. after 1/2 hours pumping 20 gpm  
 Bore Hole Diameter 11 in. to 36 ft., and 11 in. to 36 ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well  
 Was a chemical/bacteriological sample submitted to Department? Yes X No X; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes X No X

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped X  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X  
 7 Fiberglass Threaded X  
 Blank casing diameter 5 in. to 28 ft., Dia. 1.59 in. to 5.59 ft., Dia. 5.59 in. to 5.59 ft.  
 Casing height above land surface 12 in., weight 1.59 lbs./ft. Wall thickness or gauge No. 5.59-26  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 28 ft. to 36 ft., From 28 ft. to 36 ft.  
 GRAVEL PACK INTERVALS: From 15 ft. to 36 ft., From 15 ft. to 36 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout Intervals: From 5 ft. to 15 ft., From 15 ft. to 36 ft.  
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well  
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage  
 Direction from well? SW How many feet? 80

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-25-83 and this record is true to the best of my knowledge and belief. Kansas  
 Water Well Contractor's License No. 318 This Water Well Record was completed on (mo/day/yr) 6-1-83  
 under the business name of Wm. Pennington by (signature) Delonell  
 INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.